

Server Error in '/' Application.

Could not load file or assembly 'Xxx.Xxxx' or one of its dependencies. An attempt was made to load a program with an incorrect format.

Description: An unhandled exception occurred during the execution of the current web request. Please review the stack trace for more information about the error and where it originated in the code.

Exception Details: System.BadImageFormatException: Could not load file or assembly 'Xxx.Xxxx' or one of its dependencies. An attempt was made to load a program with an incorrect format.

Source Error:

An unhandled exception was generated during the execution of the current web request. Information regarding the origin and location of the exception can be identified using the exception stack trace below.

Assembly Load Trace: The following information can be helpful to determine why the assembly 'Xxx.Xxxx' could not be loaded.

```
=== Pre-bind state information ===
LOG: DisplayName = Xxx.Xxxx
(Partial)
WRN: Partial binding information was supplied for an assembly:
WRN: Assembly Name: Xxx.Xxxx | Domain ID: 2
WRN: A partial bind occurs when only part of the assembly display name is
provided.
WRN: This might result in the binder loading an incorrect assembly.
WRN: It is recommended to provide a fully specified textual identity for
the assembly,
WRN: that consists of the simple name, version, culture, and public key
token.
WRN: See whitepaper http://go.microsoft.com/fwlink/?LinkId=109270 for
more information and common solutions to this issue.
LOG: Appbase = file:///C:/<startup_project_path>/
LOG: Initial PrivatePath = C:\<startup_project_path>\bin
Calling assembly : (Unknown).
===
LOG: This bind starts in default load context.
LOG: Using application configuration file:
C:\<startup_project_path>\web.config
LOG: Using host configuration file:
C:\Users\<my_user>\Documents\IISExpress\config\aspnet.config
LOG: Using machine configuration file from
C:\Windows\Microsoft.NET\Framework64\v4.0.30319\config\machine.config.
LOG: Policy not being applied to reference at this time (private, custom,
partial, or location-based assembly bind).
```

```
LOG: Attempting download of new URL
file:///C:/Windows/Microsoft.NET/Framework64/v4.0.30319/Temporary ASP.NET
Files/vs/55bfbea2/812c43cf/Xxx.Xxxx.DLL.
LOG: Attempting download of new URL
file:///C:/Windows/Microsoft.NET/Framework64/v4.0.30319/Temporary ASP.NET
Files/vs/55bfbea2/812c43cf/Xxx.Xxxx/Xxx.Xxxx.DLL.
LOG: Attempting download of new URL
file:///C:/<startup_project_path>/bin/Xxx.Xxxx.DLL.
ERR: Failed to complete setup of assembly (hr = 0x8007000b). Probing
terminated.
```

Stack Trace:

```
[BadImageFormatException: Could not load file or assembly 'Xxx.Xxxx' or
one of its dependencies. An attempt was made to load a program with an
incorrect format.]
    System.Reflection.RuntimeAssembly._Load(AssemblyName fileName, String
codeBase, Evidence assemblySecurity, RuntimeAssembly locationHint,
StackCrawlMark& stackMark, IntPtr pPrivHostBinder, Boolean
throwOnFileNotFound, Boolean forIntrospection, Boolean
suppressSecurityChecks) +0

System.Reflection.RuntimeAssembly.InternalLoadAssemblyName(AssemblyName
assemblyRef, Evidence assemblySecurity, RuntimeAssembly reqAssembly,
StackCrawlMark& stackMark, IntPtr pPrivHostBinder, Boolean
throwOnFileNotFound, Boolean forIntrospection, Boolean
suppressSecurityChecks) +232
    System.Reflection.RuntimeAssembly.InternalLoad(String assemblyString,
Evidence assemblySecurity, StackCrawlMark& stackMark, IntPtr
pPrivHostBinder, Boolean forIntrospection) +113
    System.Reflection.RuntimeAssembly.InternalLoad(String assemblyString,
Evidence assemblySecurity, StackCrawlMark& stackMark, Boolean
forIntrospection) +23
    System.Reflection.Assembly.Load(String assemblyString) +35
    System.Web.Configuration.CompilationSection.LoadAssemblyHelper(String
assemblyName, Boolean starDirective) +49

[ConfigurationErrorsException: Could not load file or assembly 'Xxx.Xxxx'
or one of its dependencies. An attempt was made to load a program with an
incorrect format.]
    System.Web.Configuration.CompilationSection.LoadAssemblyHelper(String
assemblyName, Boolean starDirective) +762

System.Web.Configuration.CompilationSection.LoadAllAssembliesFromAppDomainBinDirectory() +259
    System.Web.Configuration.CompilationSection.LoadAssembly(AssemblyInfo
ai) +167
```

```
System.Web.Compilation.BuildManager.GetReferencedAssemblies(CompilationSection compConfig) +238
```

```
System.Web.Compilation.BuildManager.GetPreStartInitMethodsFromReferencedAssemblies() +78
```

```
System.Web.Compilation.BuildManager.CallPreStartInitMethods(String preStartInitListPath, Boolean& isRefAssemblyLoaded) +334
```

```
System.Web.Compilation.BuildManager.ExecutePreAppStart() +178
```

```
System.Web.Hosting.HostingEnvironment.Initialize(ApplicationManager appManager, IApplicationHost appHost, IConfigMapPathFactory configMapPathFactory, HostingEnvironmentParameters hostingParameters, PolicyLevel policyLevel, Exception appDomainCreationException) +746
```

```
[HttpException (0x80004005): Could not load file or assembly 'Xxx.Xxxx' or one of its dependencies. An attempt was made to load a program with an incorrect format.]
```

```
System.Web.HttpRuntime.FirstRequestInit(HttpContext context) +552
```

```
System.Web.HttpRuntime.EnsureFirstRequestInit(HttpContext context) +122
```

```
System.Web.HttpRuntime.ProcessRequestNotificationPrivate(IIS7WorkerRequest wr, HttpContext context) +737
```