

SAVE COPY ATTACH

General

User clicks the Copy button and gets this prompt:

localhost:51908 says

Please enter the sales order you want to copy to

1234567890

OK

Cancel

When running in debug this code captures the sales order I'm copying from but the order I'm copying to is not picked up. Instead it defaults to a default set Text value of "General", which means the steps following will never work.

```
2284 int end = s.IndexOf("&", start);
2285 string oldText = s.Substring(start, end - start);
2286 s = s.Replace(oldText, "salesorder="+salesOrderNumber);
2287 oldText "salesorder=CS0048454" salesOrderNumber "General"
2288 string sql = "select owner id, ccs_salesorder id from ccs_salesorderbase where "
```

```

<%@ Page Title="Home Page" Language="C#" MasterPageFile="~/Site.Master" AutoEventWireup="true" CodeBehind="Default.aspx.cs" Inherits="Job_Details_Web_Client._Default" %>

<asp:Content ID="BodyContent" ContentPlaceHolderID="MainContent" runat="server">

    <script src="https://code.jquery.com/jquery-3.4.1.js"></script>
    <script type="text/javascript" src="Scripts/jquery.datetimepicker.full.js"></script>
    <!--
    <script type="text/javascript" src="https://code.jquery.com/jquery-1.11.3.js"></script>
    <script type="text/javascript" src="https://code.jquery.com/ui/1.11.4/jquery-ui.js"></script>
    <link href="https://code.jquery.com/ui/1.11.4/themes/smoothness/jquery-ui.css" rel="stylesheet" type="text/css" />
    -->

    <link href="Content/jquery.datetimepicker.min.css" rel="stylesheet" />
    <script>
        function displayNotification() {
            var notif = document.getElementById("note");
            //alert(notif);
            notif.style.display = 'block';
            setTimeout(function(){
                document.getElementById("note").style.display = "none";
            }, 5000);
        }

        function displayNoAccessNotification()...

        //document.getElementById("test").datetimepicker();
        function openInNewTab()...

        function saveAll() {
            document.getElementById('<% SaveAllButton.ClientID %>').click();
        }

        function copy() {
            var copyTo = prompt("Please enter the sales order you want to copy to", "");
            if (copyTo != null) {
                document.getElementById('<% copyToTB.ClientID %>').innerText = copyTo;
                document.getElementById('<% copyButton.ClientID %>').click();
            }
        }
    </script>

</asp:Content>

<asp:UpdatePanel ID="UpdatePanel1" runat="server" AsyncPostBackTimeout="0">
    <ContentTemplate>

        <asp:Panel ID="NoAccessPanel" runat="server" CssClass="no-access-panel">
            You do not have access to this page. Please contact your system administrator to gain access.
        </asp:Panel>

        <asp:Button ID="accessButton" runat="server" Visible="false"></asp:Button>
        <asp:TextBox ID="currentTabTB" runat="server" Text="General" CssClass="hidden-field"></asp:TextBox>
        <asp:TextBox ID="copyToTB" runat="server" CssClass="hidden-field"></asp:TextBox>

        <input type="text" id="test123" name="test123" value="111" class="hasDatepicker" style="display: none; />

        <div class="w3-container" style="padding: 5px 20px 0px 15px; margin-bottom: 6px;">
            <span tabindex="-1" class="ms-crm-CommandBar-Button ms-crm-Menu-Label" style="max-width: 200px">
                <a tabindex="0" class="ms-crm-Menu-Label" onclick="saveAll();" >
                    </img>
                    <span tabindex="-1" class="ms-crm-CommandBar-Menu" style="max-width: 150px; cursor: pointer;"> SAVE </span>
                </a>
            </span>

            <span tabindex="-1" class="ms-crm-CommandBar-Button ms-crm-Menu-Label" style="max-width: 200px">
                <a tabindex="0" class="ms-crm-Menu-Label" onclick="copy();" >
                    </img>
                    <span tabindex="-1" class="ms-crm-CommandBar-Menu" style="max-width: 150px; cursor: pointer;"> COPY </span>
                </a>
            </span>

            <asp:Panel ID="uploadButtonPanel" CssClass="ms-crm-CommandBar-Button ms-crm-Menu-Label upload-button-container" runat="server">
                <span tabindex="-1" class="ms-crm-CommandBar-Button ms-crm-Menu-Label" style="max-width: 200px">
                    <a id="attachFieldLink" tabindex="0" class="ms-crm-Menu-Label" >
                         </img>
                        <span tabindex="-1" class="ms-crm-CommandBar-Menu" style="max-width: 150px; cursor: pointer;"> ATTACH </span>
                    </a>
                </span>
            </asp:Panel>

        </div>

        <asp:Button ID="Button1" style="display: none" runat="server" Text="Save All" OnClick="SaveAllButton_Click1" />
        <asp:Button ID="SaveAllButton" style="display: none" runat="server" Text="Save All" OnClick="SaveAllButton_Click1" />
        <asp:Button ID="copyButton" style="display: none" runat="server" Text="Copy" OnClick="CopyButton_Click" />

    </div>

```

```

2272 0 references) & changes & authors & changes
2273 protected void CopyButton_Click(object sender, EventArgs e)
2274 {
2275     string orig_so = salesOrderNumber;
2276     string orig_so_guid = salesOrderGUID;
2277     salesOrderNumber = copyToTB.Text;
2278     salesOrderGUID = currentTabTB.Text;
2279     IsCopy = true;
2280
2281     string s1 = Request.Url.AbsoluteUri;
2282     string s = "/JOB_DETAILS_WEB_APP/Default?salesorder=CS0048454&db=TT5";
2283     int start = s.IndexOf("salesorder=");
2284     int end = s.IndexOf("&", start);
2285     string oldText = s.Substring(start, end - start);
2286     s = s.Replace(oldText, "salesorder=" + salesOrderNumber);
2287
2288     string sql = "select OwnerId, ees_salesorderId from ees_salesorderBase where ees_sales_order_number = '" + salesOrderNumber + "' and OwningBusinessUnit = '" + OwningBusinessUnitId + "' order by CreatedOn asc";
2289     DataTable result = sqlHelper.getQueryResult(sql);
2290     if (result.Rows.Count == 0)
2291     {
2292         string gpSql = "select Sales_Doc_Num, Filled_By, RIG_UNIT, Location, CONCAT(RTRIM(Warehouse_Code), ' ', SUBSTRING(LOCNDCSR,0,CHARINDEX('-',LOCNDCSR,0))) as warehouse, " +
2293             "Contact_Person, Phone_1, Customer_Name from spv3SalesDocument a join IV48700 b on a.Warehouse_Code = b.LOCNDCODE where Sales_Doc_Num = '" + salesOrderNumber + "' +
2294             "UNION ALL select Sales_Doc_Num, Filled_By, RIG_UNIT, Location, CONCAT(RTRIM(Warehouse_Code), ' ', SUBSTRING(LOCNDCSR,0,CHARINDEX('-',LOCNDCSR,0))) as warehouse, " +
2295             "Contact_Person, Phone_1, Customer_Name from spv3SalesDocumentHistory a join IV48700 b on a.Warehouse_Code = b.LOCNDCODE where Sales_Doc_Num = '" + salesOrderNumber + "'";
2296         DataTable gpData = sqlHelper.getQueryResult(gpSql, "GP");
2297         DataRow aRow = gpData.Rows[0];
2298         string Filled_By = aRow["Filled_By"].ToString().Trim().Replace(" ", "");
2299         string RIG_UNIT = aRow["RIG_UNIT"].ToString().Replace(" ", "").Trim();
2300         string warehouse = aRow["warehouse"].ToString().Trim();
2301         string Contact_Person = aRow["Contact_Person"].ToString().Trim().Replace(" ", "");
2302         string Phone_1 = aRow["Phone_1"].ToString().Trim();
2303         string Customer_Name = aRow["Customer_Name"].ToString().Replace(" ", "").Trim();
2304         string location = aRow["Location"].ToString().Replace(" ", "").Trim();
2305
2306         string insertSql = string.Format("INSERT INTO ees_salesorderBase (ees_salesorderId, ees_sales_order_number, statecode, statuscode, createdon, " +
2307             "OwningBusinessUnit, OwnerId, ees_TrytonRep, ees_drillingrig, ees_station, ees_oilcompanyrep, ees_oilcompanyrepphone, ees_oilcompany, ees_location, OwnerIdType) " +
2308             "SELECT NEWID(), '{0}', 0, 1, '{1}', '{2}', '{3}', '{4}', '{5}', '{6}', '{7}', '{8}', '{9}', '{10}', 'B' ",
2309             salesOrderNumber, DateTime.Now.ToString("yyyy-MM-dd hh:mm:ss"), OwningBusinessUnitId, OwnerId,
2310             Filled_By, RIG_UNIT, warehouse, Contact_Person, Phone_1, Customer_Name, location);
2311         sqlHelper.executeQuery(insertSql);
2312     }

```

```

2313     try
2314     {
2315         result = sqlHelper.getQueryResult(sql);
2316         ownerGUID = result.Rows[0][0].ToString();
2317         salesOrderGUID = result.Rows[0][1].ToString();
2318     }
2319     catch (Exception ex)
2320     {
2321     }
2322
2323     saveAll();
2324
2325     IsCopy = false;
2326     salesOrderNumber = orig_so;
2327     salesOrderGUID = orig_so_guid;
2328     copyToTB.Text = "";
2329
2330     Response.Redirect(s);
2331
2332 }
2333

```

