Battery report

COMPUTER NAME	IDEAPAD-LAPTOP6
SYSTEM PRODUCT NAME	LENOVO 83J1
BIOS	Q5CN26WW 02/11/2026
OS BUILD	26100.1.amd64fre.ge_release.240331-1435
PLATFORM ROLE	Mobile
CONNECTED STANDBY	Supported
REPORT TIME	2026-11-07 18:36:49

Installed batteries

Information about each currently installed battery

	BATTERY 1
NAME	L24X3PK1
MANUFACTURER	COSMX
SERIAL NUMBER	1486
CHEMISTRY	LiP
DESIGN CAPACITY	60,000 mWh
FULL CHARGE CAPACITY	59,600 mWh
CYCLE COUNT	143


Recent usage

Power states over the last 7 days

START TIME		STATE	SOURCE	CAPACITY REMAINING	
2026-11-01	09:23:10	Connected standby	Battery	49 %	29,020 mWh
	09:23:10	Active	Battery	49 %	29,020 mWh
	09:24:36	Connected standby	Battery	48 %	28,490 mWh
	09:24:37	Suspended		48 %	28,490 mWh
	10:40:50	Connected standby	Battery	47 %	27,900 mWh
	10:41:25	Active	Battery	47 %	27,630 mWh
	10:42:10	Connected standby	Battery	46 %	27,370 mWh
	10:42:11	Suspended		46 %	27,370 mWh
	14:54:18	Connected standby	Battery	45 %	26,830 mWh
	14:54:53	Active	Battery	45 %	26,490 mWh
	15:03:48	Connected standby	Battery	42 %	24,520 mWh
	15:04:07	Suspended		41 %	24,450 mWh
	15:06:07	Connected standby	Battery	41 %	24,300 mWh
	15:06:42	Active	Battery	41 %	24,180 mWh
	15:10:33	Connected standby	Battery	40 %	23,340 mWh
	15:16:17	Active	Battery	39 %	23,180 mWh
	15:16:26	Connected standby	Battery	39 %	23,120 mWh
	15:16:27	Suspended		39 %	23,120 mWh
	21:42:46	Connected standby	Battery	38 %	22,530 mWh
	21:43:21	Active	Battery	38 %	22,210 mWh
	21:58:09	Connected standby	Battery	31 %	18,160 mWh
	23:15:44	Suspended		28 %	16,790 mWh
2026-11-02	09:37:29	Connected standby	Battery	22 %	13,030 mWh
	09:37:30	Active	Battery	22 %	13,030 mWh
	09:41:00	Suspended		20 %	11,890 mWh
	09:41:52	Active	Battery	19 %	11,470 mWh
	09:44:19	Active	AC	17 %	10,110 mWh
	09:59:54	Connected standby	AC	34 %	19,800 mWh
	10:19:42	Active	AC	55 %	32,460 mWh
	10:20:59	Connected standby	AC	56 %	33,260 mWh
	10:20:59	Suspended		56 %	33,260 mWh
	10:31:27	Connected standby	AC	68 %	39,840 mWh
	10:32:02	Active	AC	68 %	40,180 mWh
	10:48:54	Connected standby	AC	86 %	50,820 mWh
	10:52:13	Connected standby	Battery	90 %	52,780 mWh
	10:52:29	Active	Battery	90 %	52,780 mWh
	11:00:26	Active	AC	87 %	51,150 mWh
	11:01:43	Connected standby	AC	88 %	51,840 mWh
	12:43:11	Active	AC	100 %	58,910 mWh
	12:44:55	Active	Battery	100 %	59,190 mWh
	12:54:31	Connected standby	Battery	97 %	57,310 mWh
	12:54:31	Suspended		97 %	57,310 mWh
	16:19:40	Connected standby	Battery	96 %	56,930 mWh
	16:20:14	Active	Battery	96 %	56,590 mWh
	16:27:23	Connected standby	Battery	93 %	55,060 mWh
	16:27:41	Active	Battery	93 %	55,010 mWh
	16:37:17	Connected standby	Battery	90 %	53,250 mWh
	16:37:35	Active	Battery	90 %	53,210 mWh
	16:42:36	Connected standby	Battery	88 %	52,280 mWh
	17:12:13	Active	Battery	88 %	52,010 mWh
	17:17:40	Connected standby	Battery	86 %	50,800 mWh
	17:17:57	Active	Battery	86 %	50,730 mWh
	17:22:58	Connected standby	Battery	84 %	49,690 mWh
	17:27:12	Active	Battery	83 %	49,310 mWh
	17:32:19	Connected standby	Battery	82 %	48,320 mWh
	17:32:36	Active	Battery	82 %	48,270 mWh
	17:37:37	Connected standby	Battery	80 %	47,260 mWh
	17:38:35	Active	Battery	80 %	47,150 mWh
	17:43:57	Connected standby	Battery	78 %	46,100 mWh
	17:44:14	Active	Battery	78 %	46,060 mWh
	17:57:32	Connected standby	Battery	74 %	43,580 mWh
	17:57:49	Active	Battery	74 %	43,540 mWh
	17:59:28	Connected standby	Battery	73 %	43,230 mWh
	18:10:34	Active	Battery	71 %	42,150 mWh
	18:16:45	Connected standby	Battery	69 %	40,970 mWh
	18:17:02	Active	Battery	69 %	40,930 mWh
	18:20:59	Connected standby	Battery	68 %	40,150 mWh
	18:21:00	Suspended		68 %	40,150 mWh
	21:00:13	Connected standby	Battery	66 %	39,550 mWh
	21:00:13	Active	Battery	66 %	39,550 mWh
	21:17:56	Connected standby	Battery	61 %	36,150 mWh
	21:17:56	Suspended		61 %	36,150 mWh
2026-11-03	10:27:26	Connected standby	Battery	60 %	35,570 mWh
	10:28:01	Active	Battery	59 %	35,220 mWh
	11:04:25	Connected standby	Battery	42 %	24,960 mWh
	11:04:25	Suspended		42 %	24,960 mWh
	19:58:46	Connected standby	Battery	40 %	24,080 mWh
	19:58:46	Active	Battery	40 %	24,080 mWh
	20:12:15	Connected standby	Battery	32 %	19,370 mWh
	20:12:35	Active	Battery	32 %	19,270 mWh
	20:17:35	Connected standby	Battery	29 %	17,550 mWh
	20:20:47	Active	Battery	28 %	16,770 mWh
	20:36:52	Connected standby	Battery	20 %	12,200 mWh
	20:37:10	Active	Battery	20 %	12,130 mWh
	21:02:02	Connected standby	Battery	10 %	5,760 mWh
	21:02:03	Suspended		10 %	5,760 mWh
2026-11-04	07:54:42	Connected standby	Battery	5 %	3,000 mWh
	07:54:42	Active	Battery	5 %	3,000 mWh
	07:55:10	Connected standby	Battery	5 %	2,820 mWh
	07:55:11	Suspended		5 %	2,820 mWh
	10:45:41	Connected standby	Battery	4 %	2,270 mWh
	10:46:16	Active	Battery	3 %	2,010 mWh
	10:47:43	Connected standby	Battery	2 %	1,480 mWh
	10:47:43	Suspended		2 %	1,480 mWh
	11:00:20	Connected standby	Battery	12 %	6,950 mWh
	11:00:55	Connected standby	AC	12 %	7,360 mWh
	11:00:55	Active	AC	12 %	7,360 mWh
	11:41:59	Connected standby	AC	56 %	33,240 mWh
	11:47:33	Active	AC	62 %	36,760 mWh
	13:18:36	Active	Battery	100 %	59,650 mWh
	13:45:01	Connected standby	Battery	86 %	51,020 mWh
	13:45:01	Suspended		86 %	51,020 mWh
	16:22:48	Connected standby	Battery	84 %	50,240 mWh
	16:22:48	Active	Battery	84 %	50,240 mWh
	17:04:13	Connected standby	Battery	63 %	37,810 mWh
	17:04:13	Suspended		63 %	37,810 mWh
	18:18:34	Connected standby	Battery	62 %	36,380 mWh
	18:18:34	Active	Battery	62 %	36,380 mWh
	19:18:02	Connected standby	Battery	33 %	19,280 mWh
	19:18:02	Suspended		33 %	19,280 mWh
2026-11-05	08:53:19	Connected standby	Battery	83 %	49,160 mWh
	08:53:19	Active	Battery	83 %	49,160 mWh
	08:58:12	Connected standby	Battery	80 %	47,440 mWh
	08:58:13	Suspended		80 %	47,440 mWh
	09:52:47	Connected standby	Battery	79 %	46,970 mWh
	09:53:22	Active	Battery	79 %	46,490 mWh
	10:25:20	Connected standby	Battery	63 %	37,100 mWh
	10:27:00	Active	Battery	63 %	37,000 mWh
	10:42:18	Connected standby	Battery	55 %	32,540 mWh
	10:42:19	Suspended		55 %	32,540 mWh
	13:04:31	Connected standby	Battery	54 %	31,500 mWh
	13:04:31	Active	Battery	54 %	31,500 mWh
	13:11:33	Connected standby	Battery	49 %	29,070 mWh
	13:11:50	Active	Battery	49 %	28,990 mWh
	13:16:51	Connected standby	Battery	47 %	27,540 mWh
	13:17:18	Active	Battery	47 %	27,430 mWh
	13:37:12	Connected standby	Battery	36 %	21,460 mWh
	13:37:30	Active	Battery	36 %	21,360 mWh
	13:37:31	Active	AC	36 %	21,360 mWh
	13:49:03	Connected standby	AC	49 %	29,060 mWh
	13:50:34	Active	AC	50 %	30,110 mWh
	13:54:03	Connected standby	AC	55 %	32,390 mWh
	15:35:06	Active	Battery	100 %	59,040 mWh
	15:35:13	Active	Battery	100 %	59,040 mWh
	15:46:29	Connected standby	Battery	94 %	55,750 mWh
	15:46:47	Active	Battery	94 %	55,670 mWh
	15:51:47	Connected standby	Battery	92 %	54,230 mWh
	15:55:00	Active	Battery	91 %	53,740 mWh
	15:57:24	Active	AC	90 %	53,060 mWh
	16:47:36	Connected standby	AC	100 %	59,480 mWh
	17:03:51	Active	AC	100 %	59,480 mWh
	17:23:39	Active	Battery	100 %	59,480 mWh
	17:35:43	Connected standby	Battery	94 %	56,040 mWh
	17:36:00	Active	Battery	94 %	55,970 mWh
	17:41:01	Connected standby	Battery	92 %	54,540 mWh
	17:46:31	Active	Battery	90 %	53,560 mWh
	17:51:37	Connected standby	Battery	88 %	52,180 mWh
	17:51:55	Active	Battery	88 %	52,100 mWh
	17:58:25	Connected standby	Battery	85 %	50,350 mWh
	17:58:43	Active	Battery	85 %	50,280 mWh
	18:06:47	Connected standby	Battery	81 %	48,070 mWh
	18:07:04	Active	Battery	81 %	48,000 mWh
	18:16:34	Connected standby	Battery	77 %	45,770 mWh
	18:16:51	Active	Battery	77 %	45,710 mWh
	18:21:53	Connected standby	Battery	75 %	44,430 mWh
	18:29:40	Suspended		74 %	44,280 mWh
	18:41:47	Connected standby	Battery	74 %	43,950 mWh
	18:42:22	Active	Battery	74 %	43,780 mWh
	19:05:23	Connected standby	Battery	63 %	37,720 mWh
	19:05:41	Active	Battery	63 %	37,650 mWh
	19:14:14	Connected standby	Battery	59 %	35,340 mWh
	19:14:32	Active	Battery	59 %	35,270 mWh
	19:19:33	Connected standby	Battery	57 %	33,860 mWh
	19:27:53	Active	Battery	54 %	32,100 mWh
	20:03:54	Connected standby	Battery	38 %	22,460 mWh
	20:03:54	Suspended		38 %	22,460 mWh
2026-11-06	07:56:57	Connected standby	Battery	36 %	21,490 mWh
	07:56:57	Active	Battery	36 %	21,490 mWh
	08:00:28	Connected standby	Battery	34 %	19,860 mWh
	08:00:29	Suspended		34 %	19,860 mWh
	09:16:09	Connected standby	Battery	33 %	19,280 mWh
	13:34:46	Active	Battery	32 %	18,890 mWh
	13:34:46	Connected standby	Battery	32 %	18,890 mWh
	13:34:46	Suspended		32 %	18,890 mWh
	13:35:21	Connected standby	Battery	32 %	18,710 mWh
	13:35:56	Active	Battery	31 %	18,550 mWh
	13:55:42	Connected standby	Battery	20 %	11,950 mWh
	13:55:42	Suspended		20 %	11,950 mWh
	17:56:16	Connected standby	Battery	99 %	58,650 mWh
	17:56:16	Active	Battery	99 %	58,650 mWh
	18:09:02	Connected standby	Battery	-	-
	18:09:02	Suspended		-	-
	18:11:09	Connected standby	Battery	-	-
	18:11:09	Connected standby	AC	-	-
	18:11:09	Active	AC	-	-
	18:44:44	Active	Battery	-	-
	18:44:49	Active	AC	-	-
	18:45:17	Active	Battery	-	-
	18:45:19	Active	AC	-	-
2026-11-07	18:36:47	Report generated	AC	-	-

Battery usage

Battery drains over the last 7 days



START TIME		STATE	DURATION	ENERGY DRAINED	
2026-11-01	09:23:10	Connected standby	0:00:00	-	-
	09:23:10	Active	0:01:25	1 %	530 mWh
	09:24:36	Connected standby	0:00:00	-	-
	10:40:50	Connected standby	0:00:35	-	270 mWh
	10:41:25	Active	0:00:44	-	260 mWh
	10:42:10	Connected standby	0:00:00	-	-
	14:54:18	Connected standby	0:00:35	1 %	340 mWh
	14:54:53	Active	0:08:54	3 %	1,970 mWh
	15:03:48	Connected standby	0:00:19	-	70 mWh
	15:06:07	Connected standby	0:00:35	-	120 mWh
	15:06:42	Active	0:03:51	1 %	840 mWh
	15:10:33	Connected standby	0:05:44	-	160 mWh
	15:16:17	Active	0:00:09	-	60 mWh
	15:16:26	Connected standby	0:00:00	-	-
	21:42:46	Connected standby	0:00:35	1 %	320 mWh
	21:43:21	Active	0:14:47	7 %	4,050 mWh
	21:58:09	Connected standby	1:17:34	2 %	1,370 mWh
2026-11-02	09:37:29	Connected standby	0:00:00	-	-
	09:37:30	Active	0:03:29	2 %	1,140 mWh
	09:41:52	Active	0:02:26	2 %	1,360 mWh
	10:52:13	Connected standby	0:00:16	-	-
	10:52:29	Active	0:07:56	3 %	1,630 mWh
	12:44:55	Active	0:09:35	3 %	1,880 mWh
	12:54:31	Connected standby	0:00:00	-	-
	16:19:40	Connected standby	0:00:33	1 %	340 mWh
	16:20:14	Active	0:07:09	3 %	1,530 mWh
	16:27:23	Connected standby	0:00:17	-	50 mWh
	16:27:41	Active	0:09:36	3 %	1,760 mWh
	16:37:17	Connected standby	0:00:17	-	40 mWh
	16:37:35	Active	0:05:00	2 %	930 mWh
	16:42:36	Connected standby	0:29:37	-	270 mWh
	17:12:13	Active	0:05:27	2 %	1,210 mWh
	17:17:40	Connected standby	0:00:16	-	70 mWh
	17:17:57	Active	0:05:00	2 %	1,040 mWh
	17:22:58	Connected standby	0:04:14	1 %	380 mWh
	17:27:12	Active	0:05:06	2 %	990 mWh
	17:32:19	Connected standby	0:00:17	-	50 mWh
	17:32:36	Active	0:05:00	2 %	1,010 mWh
	17:37:37	Connected standby	0:00:57	-	110 mWh
	17:38:35	Active	0:05:22	2 %	1,050 mWh
	17:43:57	Connected standby	0:00:17	-	40 mWh
	17:44:14	Active	0:13:17	4 %	2,480 mWh
	17:57:32	Connected standby	0:00:17	-	40 mWh
	17:57:49	Active	0:01:38	1 %	310 mWh
	17:59:28	Connected standby	0:11:06	2 %	1,080 mWh
	18:10:34	Active	0:06:10	2 %	1,180 mWh
	18:16:45	Connected standby	0:00:17	-	40 mWh
	18:17:02	Active	0:03:57	1 %	780 mWh
	18:20:59	Connected standby	0:00:00	-	-
	21:00:13	Connected standby	0:00:00	-	-
	21:00:13	Active	0:17:42	6 %	3,400 mWh
	21:17:56	Connected standby	0:00:00	-	-
2026-11-03	10:27:26	Connected standby	0:00:35	1 %	350 mWh
	10:28:01	Active	0:36:23	17 %	10,260 mWh
	11:04:25	Connected standby	0:00:00	-	-
	19:58:46	Connected standby	0:00:00	-	-
	19:58:46	Active	0:13:29	8 %	4,710 mWh
	20:12:15	Connected standby	0:00:19	-	100 mWh
	20:12:35	Active	0:05:00	3 %	1,720 mWh
	20:17:35	Connected standby	0:03:11	1 %	780 mWh
	20:20:47	Active	0:16:05	8 %	4,570 mWh
	20:36:52	Connected standby	0:00:17	-	70 mWh
	20:37:10	Active	0:24:51	11 %	6,370 mWh
	21:02:02	Connected standby	0:00:00	-	-
2026-11-04	07:54:42	Connected standby	0:00:00	-	-
	07:54:42	Active	0:00:28	-	180 mWh
	07:55:10	Connected standby	0:00:00	-	-
	10:45:41	Connected standby	0:00:35	-	260 mWh
	10:46:16	Active	0:01:27	1 %	530 mWh
	10:47:43	Connected standby	0:00:00	-	-
	11:00:20	Connected standby	0:00:35	-	-410 mWh
	13:18:36	Active	0:26:24	14 %	8,630 mWh
	13:45:01	Connected standby	0:00:00	-	-
	16:22:48	Connected standby	0:00:00	-	-
	16:22:48	Active	0:41:24	21 %	12,430 mWh
	17:04:13	Connected standby	0:00:00	-	-
	18:18:34	Connected standby	0:00:00	-	-
	18:18:34	Active	0:59:27	29 %	17,100 mWh
	19:18:02	Connected standby	0:00:00	-	-
2026-11-05	08:53:19	Connected standby	0:00:00	-	-
	08:53:19	Active	0:04:53	3 %	1,720 mWh
	08:58:12	Connected standby	0:00:00	-	-
	09:52:47	Connected standby	0:00:35	1 %	480 mWh
	09:53:22	Active	0:31:57	16 %	9,390 mWh
	10:25:20	Connected standby	0:01:39	-	100 mWh
	10:27:00	Active	0:15:18	8 %	4,460 mWh
	10:42:18	Connected standby	0:00:00	-	-
	13:04:31	Connected standby	0:00:00	-	-
	13:04:31	Active	0:07:01	4 %	2,430 mWh
	13:11:33	Connected standby	0:00:17	-	80 mWh
	13:11:50	Active	0:05:00	2 %	1,450 mWh
	13:16:51	Connected standby	0:00:27	-	110 mWh
	13:17:18	Active	0:19:53	10 %	5,970 mWh
	13:37:12	Connected standby	0:00:17	-	100 mWh
	13:37:30	Active	0:00:01	-	-
	15:35:06	Connected standby	0:00:07	-	-
	15:35:13	Active	0:11:15	6 %	3,290 mWh
	15:46:29	Connected standby	0:00:17	-	80 mWh
	15:46:47	Active	0:05:00	2 %	1,440 mWh
	15:51:47	Connected standby	0:03:12	1 %	490 mWh
	15:55:00	Active	0:02:24	1 %	680 mWh
	17:23:39	Active	0:12:04	6 %	3,440 mWh
	17:35:43	Connected standby	0:00:17	-	70 mWh
	17:36:00	Active	0:05:00	2 %	1,430 mWh
	17:41:01	Connected standby	0:05:30	2 %	980 mWh
	17:46:31	Active	0:05:06	2 %	1,380 mWh
	17:51:37	Connected standby	0:00:17	-	80 mWh
	17:51:55	Active	0:06:29	3 %	1,750 mWh
	17:58:25	Connected standby	0:00:17	-	70 mWh
	17:58:43	Active	0:08:04	4 %	2,210 mWh
	18:06:47	Connected standby	0:00:17	-	70 mWh
	18:07:04	Active	0:09:29	4 %	2,230 mWh
	18:16:34	Connected standby	0:00:17	-	60 mWh
	18:16:51	Active	0:05:01	2 %	1,280 mWh
	18:21:53	Connected standby	0:07:47	-	150 mWh
	18:41:47	Connected standby	0:00:35	-	170 mWh
	18:42:22	Active	0:23:00	10 %	6,060 mWh
	19:05:23	Connected standby	0:00:17	-	70 mWh
	19:05:41	Active	0:08:33	4 %	2,310 mWh
	19:14:14	Connected standby	0:00:17	-	70 mWh
	19:14:32	Active	0:05:01	2 %	1,410 mWh
	19:19:33	Connected standby	0:08:20	3 %	1,760 mWh
	19:27:53	Active	0:36:01	16 %	9,640 mWh
	20:03:54	Connected standby	0:00:00	-	-
2026-11-06	07:56:57	Connected standby	0:00:00	-	-
	07:56:57	Active	0:03:30	3 %	1,630 mWh
	08:00:28	Connected standby	0:00:00	-	-
	09:16:09	Connected standby	4:18:36	1 %	390 mWh
	13:34:46	Active	0:00:00	-	-
	13:34:46	Connected standby	0:00:00	-	-
	13:35:21	Connected standby	0:00:35	-	160 mWh
	13:35:56	Active	0:19:46	11 %	6,600 mWh
	13:55:42	Connected standby	0:00:00	-	-
	17:56:16	Connected standby	0:00:00	-	-
	17:56:16	Active	0:12:45	99 %	58,650 mWh
	18:09:02	Connected standby	0:00:00	-	-
	18:11:09	Connected standby	0:00:00	-	-
	18:44:44	Active	0:00:05	-	-
	18:45:17	Active	0:00:02	-	-

Usage history

History of system usage on AC and battery

PERIOD	BATTERY DURATION		AC DURATION	
	ACTIVE	CONNECTED STANDBY	ACTIVE	CONNECTED STANDBY
2025-07-08 - 2025-08-19	-	-	-	-
2025-08-19 - 2025-09-26	-	0:07:56	0:00:32	-
2025-09-26 - 2025-10-05	3:30:22	13:03:06	1:42:23	0:55:19
2025-10-05 - 2025-11-13	0:27:49	0:08:55	1:48:22	0:04:45
2025-11-13 - 2025-11-17	5:17:54	1:58:51	6:49:34	10:41:35
2025-11-17 - 2025-11-24	4:27:26	32:52:11	1:49:01	4:53:17
2025-11-24 - 2025-12-01	22:04:10	57:16:08	9:31:49	36:09:43
2025-12-01 - 2025-12-08	6:57:56	44:11:49	1:33:40	5:44:06
2025-12-08 - 2025-12-15	5:27:26	14:32:32	5:22:01	11:14:31
2025-12-15 - 2025-12-22	8:50:55	33:18:07	3:44:42	6:05:17
2025-12-22 - 2025-12-29	4:10:04	18:10:15	1:05:36	0:45:28
2025-12-29 - 2026-01-05	6:39:01	11:49:55	2:08:05	5:39:58
2026-01-05 - 2026-01-12	8:14:54	16:33:57	1:55:35	7:32:07
2026-01-12 - 2026-01-19	17:47:11	37:56:46	8:36:43	10:25:16
2026-01-19 - 2026-01-26	13:40:36	37:24:33	12:37:40	15:10:58
2026-01-26 - 2026-02-02	16:33:47	34:04:48	17:34:45	57:22:44
2026-02-02 - 2026-02-09	6:15:29	14:37:04	8:56:22	27:50:09
2026-02-09 - 2026-02-16	22:31:43	47:27:02	14:12:17	48:43:26
2026-02-16 - 2026-02-23	18:05:15	48:54:06	10:42:42	21:57:36
2026-02-23 - 2026-03-02	16:22:33	17:09:10	25:28:22	64:04:00
2026-03-02 - 2026-03-09	18:36:30	67:10:13	10:29:29	12:58:17
2026-03-09 - 2026-03-16	17:27:56	35:45:57	14:35:37	33:10:13
2026-03-16 - 2026-03-23	13:45:20	33:21:08	2:10:39	1:01:46
2026-03-23 - 2026-03-30	18:21:53	45:55:30	7:52:08	11:54:08
2026-03-30 - 2026-04-06	16:07:29	34:16:55	4:05:16	6:07:05
2026-04-06 - 2026-04-13	13:50:53	53:14:26	5:48:26	3:04:36
2026-04-13 - 2026-04-20	10:49:09	30:12:16	1:53:44	12:47:42
2026-04-20 - 2026-04-27	5:32:34	5:22:00	1:21:40	11:27:44
2026-04-27 - 2026-05-04	11:47:56	8:12:55	0:14:42	1:36:17
2026-05-04 - 2026-05-11	6:46:42	1:45:16	0:07:02	0:00:36
2026-05-11 - 2026-05-18	13:13:37	22:38:10	1:11:53	28:57:43
2026-05-18 - 2026-05-25	9:59:24	27:24:26	5:26:09	2:14:14
2026-05-25 - 2026-06-01	8:37:56	4:48:51	18:57:53	27:21:19
2026-06-01 - 2026-06-08	16:40:50	10:09:08	18:59:14	42:11:23
2026-06-08 - 2026-06-15	15:37:25	19:38:02	9:23:45	23:51:27
2026-06-15 - 2026-06-22	16:47:06	12:08:08	22:35:08	65:08:13
2026-06-22 - 2026-06-29	19:06:00	18:54:14	13:46:07	55:20:46
2026-06-29 - 2026-07-06	13:34:31	13:09:45	9:42:44	47:35:48
2026-07-06 - 2026-07-13	11:21:03	6:51:09	2:17:53	3:30:28
2026-07-13 - 2026-07-20	10:21:49	8:46:16	1:50:47	9:24:10
2026-07-20 - 2026-07-27	12:16:13	10:11:01	1:59:49	3:16:02
2026-07-27 - 2026-08-03	11:03:02	17:36:43	1:36:29	12:49:40
2026-08-03 - 2026-08-10	8:03:19	17:13:28	1:23:23	15:13:07
2026-08-10 - 2026-08-17	8:37:59	5:28:29	4:00:37	10:50:29
2026-08-17 - 2026-08-24	23:51:13	27:16:15	1:21:28	1:22:24
2026-08-24 - 2026-08-31	41:44:13	38:49:53	6:42:44	38:59:06
2026-08-31 - 2026-09-07	62:42:55	43:30:49	7:31:45	48:49:50
2026-09-07 - 2026-09-14	5:01:00	1:28:01	2:14:53	8:30:11
2026-09-14 - 2026-09-21	9:21:59	5:20:41	3:47:16	4:55:42
2026-09-21 - 2026-09-28	11:57:34	592627:15:50	2:36:55	11:40:03
2026-09-28 - 2026-10-05	18:22:17	592625:12:32	6:05:38	16:26:57
2026-10-05 - 2026-10-12	15:47:54	592626:56:56	4:06:04	10:56:55
2026-10-12 - 2026-10-19	12:24:18	7:37:07	2:48:14	3:56:46
2026-10-19 - 2026-10-26	24:51:23	21:14:55	2:11:41	1:21:25
2026-10-26	0:46:53	592624:12:07	-	-
2026-10-27	-	-	-	-
2026-10-28	2:56:04	1:07:17	1:20:10	0:01:46
2026-10-29	1:34:23	4:22:19	1:11:31	0:07:01
2026-10-30	0:46:52	0:17:10	-	-
2026-10-31	0:50:07	0:04:13	-	-
2026-11-01	0:29:50	1:25:53	-	-
2026-11-02	1:53:48	0:48:36	0:36:40	2:05:04
2026-11-03	1:35:47	0:04:22	-	-
2026-11-04	2:09:10	0:01:09	2:12:04	0:05:29
2026-11-05	3:46:29	0:30:59	1:24:53	1:58:46
2026-11-06	0:36:08	4:19:11	0:39:41	-

Battery capacity history

Charge capacity history of the system's batteries

PERIOD	FULL CHARGE CAPACITY	DESIGN CAPACITY
2025-07-08 - 2025-08-19	60,740 mWh	60,000 mWh
2025-08-19 - 2025-09-26	60,740 mWh	60,000 mWh
2025-09-26 - 2025-10-05	61,464 mWh	60,000 mWh
2025-10-05 - 2025-11-13	61,470 mWh	60,000 mWh
2025-11-13 - 2025-11-17	61,469 mWh	60,000 mWh
2025-11-17 - 2025-11-24	60,986 mWh	60,000 mWh
2025-11-24 - 2025-12-01	60,895 mWh	60,000 mWh
2025-12-01 - 2025-12-08	61,160 mWh	60,000 mWh
2025-12-08 - 2025-12-15	61,451 mWh	60,000 mWh
2025-12-15 - 2025-12-22	61,231 mWh	60,000 mWh
2025-12-22 - 2025-12-29	61,082 mWh	60,000 mWh
2025-12-29 - 2026-01-05	61,585 mWh	60,000 mWh
2026-01-05 - 2026-01-12	61,519 mWh	60,000 mWh
2026-01-12 - 2026-01-19	61,229 mWh	60,000 mWh
2026-01-19 - 2026-01-26	60,664 mWh	60,000 mWh
2026-01-26 - 2026-02-02	61,183 mWh	60,000 mWh
2026-02-02 - 2026-02-09	60,556 mWh	60,000 mWh
2026-02-09 - 2026-02-16	60,996 mWh	60,000 mWh
2026-02-16 - 2026-02-23	60,933 mWh	60,000 mWh
2026-02-23 - 2026-03-02	60,992 mWh	60,000 mWh
2026-03-02 - 2026-03-09	61,374 mWh	60,000 mWh
2026-03-09 - 2026-03-16	61,039 mWh	60,000 mWh
2026-03-16 - 2026-03-23	60,947 mWh	60,000 mWh
2026-03-23 - 2026-03-30	60,359 mWh	60,000 mWh
2026-03-30 - 2026-04-06	59,637 mWh	60,000 mWh
2026-04-06 - 2026-04-13	59,852 mWh	60,000 mWh
2026-04-13 - 2026-04-20	59,434 mWh	60,000 mWh
2026-04-20 - 2026-04-27	60,535 mWh	60,000 mWh
2026-04-27 - 2026-05-04	60,408 mWh	60,000 mWh
2026-05-04 - 2026-05-11	60,021 mWh	60,000 mWh
2026-05-11 - 2026-05-18	60,282 mWh	60,000 mWh
2026-05-18 - 2026-05-25	59,957 mWh	60,000 mWh
2026-05-25 - 2026-06-01	60,693 mWh	60,000 mWh
2026-06-01 - 2026-06-08	60,419 mWh	60,000 mWh
2026-06-08 - 2026-06-15	59,626 mWh	60,000 mWh
2026-06-15 - 2026-06-22	59,942 mWh	60,000 mWh
2026-06-22 - 2026-06-29	59,688 mWh	60,000 mWh
2026-06-29 - 2026-07-06	59,756 mWh	60,000 mWh
2026-07-06 - 2026-07-13	60,151 mWh	60,000 mWh
2026-07-13 - 2026-07-20	60,159 mWh	60,000 mWh
2026-07-20 - 2026-07-27	60,620 mWh	60,000 mWh
2026-07-27 - 2026-08-03	59,958 mWh	60,000 mWh
2026-08-03 - 2026-08-10	59,671 mWh	60,000 mWh
2026-08-10 - 2026-08-17	60,457 mWh	60,000 mWh
2026-08-17 - 2026-08-24	59,634 mWh	60,000 mWh
2026-08-24 - 2026-08-31	60,050 mWh	60,000 mWh
2026-08-31 - 2026-09-07	60,011 mWh	60,000 mWh
2026-09-07 - 2026-09-14	59,713 mWh	60,000 mWh
2026-09-14 - 2026-09-21	59,896 mWh	60,000 mWh
2026-09-21 - 2026-09-28	59,240 mWh	60,000 mWh
2026-09-28 - 2026-10-05	58,260 mWh	60,000 mWh
2026-10-05 - 2026-10-12	58,150 mWh	60,000 mWh
2026-10-12 - 2026-10-19	58,634 mWh	60,000 mWh
2026-10-19 - 2026-10-26	58,497 mWh	60,000 mWh
2026-10-26	58,369 mWh	60,000 mWh
2026-10-27	58,370 mWh	60,000 mWh
2026-10-28	58,399 mWh	60,000 mWh
2026-10-29	58,623 mWh	60,000 mWh
2026-10-30	58,928 mWh	60,000 mWh
2026-10-31	59,080 mWh	60,000 mWh
2026-11-01	59,049 mWh	60,000 mWh
2026-11-02	59,135 mWh	60,000 mWh
2026-11-03	59,573 mWh	60,000 mWh
2026-11-04	59,421 mWh	60,000 mWh
2026-11-05	59,163 mWh	60,000 mWh
2026-11-06	59,270 mWh	60,000 mWh

Battery life estimates

Battery life estimates based on observed drains

PERIOD	AT FULL CHARGE		AT DESIGN CAPACITY	
	ACTIVE	CONNECTED STANDBY	ACTIVE	CONNECTED STANDBY
2025-07-08 - 2025-08-19	-	-	-	-
2025-08-19 - 2025-09-26	-	-	-	-
2025-09-26 - 2025-10-05	8:14:38	-	8:02:51	-
2025-10-05 - 2025-11-13	4:53:17	25:22:31 63 % / 16 h	4:46:16	24:46:06 65 % / 16 h
2025-11-13 - 2025-11-17	6:34:07	55:20:43 29 % / 16 h	6:24:42	54:01:21 30 % / 16 h
2025-11-17 - 2025-11-24	4:48:49	152:54:20 10 % / 16 h	4:44:09	150:26:00 11 % / 16 h
2025-11-24 - 2025-12-01	6:48:37	143:45:02 11 % / 16 h	6:42:37	141:38:16 11 % / 16 h
2025-12-01 - 2025-12-08	7:07:47	142:29:33 11 % / 16 h	6:59:40	139:47:24 11 % / 16 h
2025-12-08 - 2025-12-15	7:15:08	112:24:24 14 % / 16 h	7:04:52	109:45:09 15 % / 16 h
2025-12-15 - 2025-12-22	6:57:46	116:59:18 14 % / 16 h	6:49:23	114:38:11 14 % / 16 h
2025-12-22 - 2025-12-29	5:23:03	119:13:01 13 % / 16 h	5:17:20	117:06:18 14 % / 16 h
2025-12-29 - 2026-01-05	7:02:52	136:12:00 12 % / 16 h	6:51:59	132:41:40 12 % / 16 h
2026-01-05 - 2026-01-12	6:32:53	75:59:47 21 % / 16 h	6:23:11	74:07:12 22 % / 16 h
2026-01-12 - 2026-01-19	6:53:28	95:03:56 17 % / 16 h	6:45:10	93:09:26 17 % / 16 h
2026-01-19 - 2026-01-26	6:39:19	98:45:17 16 % / 16 h	6:34:57	97:40:26 16 % / 16 h
2026-01-26 - 2026-02-02	6:36:40	61:45:46 26 % / 16 h	6:29:00	60:34:07 26 % / 16 h
2026-02-02 - 2026-02-09	6:35:01	100:01:18 16 % / 16 h	6:31:24	99:06:12 16 % / 16 h
2026-02-09 - 2026-02-16	6:34:36	40:15:15 40 % / 16 h	6:28:09	39:35:49 40 % / 16 h
2026-02-16 - 2026-02-23	6:59:14	103:03:33 16 % / 16 h	6:52:49	101:35:46 16 % / 16 h
2026-02-23 - 2026-03-02	5:53:54	46:34:47 34 % / 16 h	5:48:09	45:49:19 35 % / 16 h
2026-03-02 - 2026-03-09	6:13:30	106:01:53 15 % / 16 h	6:05:08	103:39:28 15 % / 16 h
2026-03-09 - 2026-03-16	6:01:20	70:07:43 23 % / 16 h	5:55:11	68:56:06 23 % / 16 h
2026-03-16 - 2026-03-23	6:10:42	72:48:18 22 % / 16 h	6:04:56	71:40:25 22 % / 16 h
2026-03-23 - 2026-03-30	6:08:12	98:07:24 16 % / 16 h	6:06:00	97:32:23 16 % / 16 h
2026-03-30 - 2026-04-06	5:51:21	102:53:32 16 % / 16 h	5:53:30	103:31:07 15 % / 16 h
2026-04-06 - 2026-04-13	5:50:12	129:13:10 12 % / 16 h	5:51:04	129:32:20 12 % / 16 h
2026-04-13 - 2026-04-20	5:42:47	89:53:36 18 % / 16 h	5:46:03	90:44:58 18 % / 16 h
2026-04-20 - 2026-04-27	5:48:47	39:22:41 41 % / 16 h	5:45:42	39:01:49 41 % / 16 h
2026-04-27 - 2026-05-04	5:37:22	57:42:20 28 % / 16 h	5:35:05	57:18:57 28 % / 16 h
2026-05-04 - 2026-05-11	5:34:01	30:52:50 52 % / 16 h	5:33:54	30:52:51 52 % / 16 h
2026-05-11 - 2026-05-18	5:31:48	119:41:50 13 % / 16 h	5:30:15	119:08:14 13 % / 16 h
2026-05-18 - 2026-05-25	5:45:11	142:31:11 11 % / 16 h	5:45:26	142:37:19 11 % / 16 h
2026-05-25 - 2026-06-01	5:24:54	36:28:39 44 % / 16 h	5:21:11	36:03:40 44 % / 16 h
2026-06-01 - 2026-06-08	5:11:43	21:41:50 74 % / 16 h	5:09:34	21:32:49 74 % / 16 h
2026-06-08 - 2026-06-15	5:14:33	40:41:28 39 % / 16 h	5:16:32	40:56:47 39 % / 16 h
2026-06-15 - 2026-06-22	5:48:42	28:11:02 57 % / 16 h	5:49:02	28:12:40 57 % / 16 h
2026-06-22 - 2026-06-29	5:32:01	58:36:53 27 % / 16 h	5:33:45	58:55:16 27 % / 16 h
2026-06-29 - 2026-07-06	5:21:48	30:23:30 53 % / 16 h	5:23:06	30:30:57 52 % / 16 h
2026-07-06 - 2026-07-13	5:13:44	37:00:01 43 % / 16 h	5:12:57	36:54:27 43 % / 16 h
2026-07-13 - 2026-07-20	5:10:06	41:15:20 39 % / 16 h	5:09:17	41:08:48 39 % / 16 h
2026-07-20 - 2026-07-27	5:15:48	64:18:18 25 % / 16 h	5:12:34	63:38:51 25 % / 16 h
2026-07-27 - 2026-08-03	5:21:41	37:39:34 42 % / 16 h	5:21:54	37:41:09 42 % / 16 h
2026-08-03 - 2026-08-10	4:31:58	54:24:35 29 % / 16 h	4:33:28	54:42:35 29 % / 16 h
2026-08-10 - 2026-08-17	4:32:24	27:06:27 59 % / 16 h	4:30:20	26:54:10 59 % / 16 h
2026-08-17 - 2026-08-24	29:30:43	144:56:37 11 % / 16 h	29:41:35	145:50:00 11 % / 16 h
2026-08-24 - 2026-08-31	8:50:54	73:15:31 22 % / 16 h	8:50:27	73:11:51 22 % / 16 h
2026-08-31 - 2026-09-07	9:00:42	64:41:02 25 % / 16 h	9:00:36	64:40:19 25 % / 16 h
2026-09-07 - 2026-09-14	3:48:00	23:21:31 68 % / 16 h	3:49:06	23:28:16 68 % / 16 h
2026-09-14 - 2026-09-21	4:46:15	28:22:48 56 % / 16 h	4:46:45	28:25:45 56 % / 16 h
2026-09-21 - 2026-09-28	3:18:57	300000:20:00 - / 16 h	3:21:30	334460:40:45 - / 16 h
2026-09-28 - 2026-10-05	4:22:03	646851:21:58 - / 16 h	4:29:53	773065:18:11 - / 16 h
2026-10-05 - 2026-10-12	4:34:31	551780:38:11 - / 16 h	4:43:15	645246:56:59 - / 16 h
2026-10-12 - 2026-10-19	4:35:57	20:26:39 78 % / 16 h	4:42:23	20:55:14 76 % / 16 h
2026-10-19 - 2026-10-26	12:46:41	90:51:40 18 % / 16 h	13:06:23	93:11:44 17 % / 16 h
2026-10-26	4:47:27	1120708:41:25 - / 16 h	4:55:28	58989:40:29 - / 16 h
2026-10-27	-	-	-	-
2026-10-28	5:20:54	33:14:33 48 % / 16 h	5:29:42	34:09:14 47 % / 16 h
2026-10-29	4:16:02	16:40:30 96 % / 16 h	4:22:03	17:04:00 94 % / 16 h
2026-10-30	4:32:54	15:28:04 103 % / 16 h	4:37:51	15:44:57 102 % / 16 h
2026-10-31	4:38:32	6:41:48 239 % / 16 h	4:42:52	6:48:03 235 % / 16 h
2026-11-01	3:48:29	31:53:42 50 % / 16 h	3:52:09	32:24:31 49 % / 16 h
2026-11-02	4:44:11	19:05:00 84 % / 16 h	4:48:20	19:21:45 83 % / 16 h
2026-11-03	3:26:31	3:20:06 480 % / 16 h	3:27:59	3:21:32 476 % / 16 h
2026-11-04	3:17:27	-	3:19:22	-
2026-11-05	3:29:27	6:07:20 261 % / 16 h	3:32:25	6:12:32 258 % / 16 h
2026-11-06	0:32:01	465:30:32 3 % / 16 h	0:32:24	471:14:32 3 % / 16 h

Current estimate of battery life based on all observed drains since OS install

Since OS install	6:04:15	71400:15:09 - / 16 h	6:06:42	71879:26:56 - / 16 h