Battery report

COMPUTER NAME	DESKTOP-2PNJLPA
SYSTEM PRODUCT NAME	Dell Inc. Inspiron 15 3520
BIOS	1.30.0 12/16/2024
OS BUILD	26100.1.amd64fre.ge_release.240331-1435
PLATFORM ROLE	Mobile
CONNECTED STANDBY	Supported
REPORT TIME	2025-07-15 23:56:19

Installed batteries

Information about each currently installed battery

	BATTERY 1
NAME	DELL PG8YJ39
MANUFACTURER	BYD
SERIAL NUMBER	2955
CHEMISTRY	NCM
DESIGN CAPACITY	40,466 mWh
FULL CHARGE CAPACITY	40,466 mWh
CYCLE COUNT	-

Recent usage

Power states over the last 7 days

START TIME		STATE	SOURCE	CAPACITY REMAINING	
2025-07-08	23:58:21	Connected standby	AC	96 %	38,689 mWh
2025-07-09	00:07:56	Active	AC	97 %	39,274 mWh
	00:59:19	Connected standby	AC	100 %	40,466 mWh
	00:59:19	Suspended		100 %	40,466 mWh
	14:11:14	Connected standby	AC	99 %	40,151 mWh
	14:11:49	Connected standby	Battery	99 %	39,904 mWh
	14:11:49	Active	Battery	99 %	39,904 mWh
	15:17:49	Connected standby	Battery	69 %	27,720 mWh
	15:17:51	Suspended		69 %	27,720 mWh
	21:46:15	Connected standby	AC	69 %	28,013 mWh
	21:46:51	Active	AC	70 %	28,271 mWh
	21:46:51	Connected standby	AC	70 %	28,271 mWh
	21:47:22	Active	AC	70 %	28,485 mWh
	22:11:20	Connected standby	AC	88 %	35,663 mWh
	22:34:34	Active	AC	97 %	39,060 mWh
	22:42:58	Connected standby	AC	98 %	39,645 mWh
	22:45:11	Connected standby	Battery	98 %	39,780 mWh
	22:45:17	Active	Battery	98 %	39,758 mWh
	22:52:44	Active	AC	93 %	37,508 mWh
	22:56:41	Connected standby	AC	95 %	38,273 mWh
	23:00:39	Active	AC	96 %	38,846 mWh
	23:05:30	Connected standby	AC	97 %	39,409 mWh
	23:07:36	Active	AC	98 %	39,611 mWh
	23:16:00	Suspended		99 %	40,050 mWh
	23:19:28	Active	AC	99 %	40,050 mWh
	23:19:28	Suspended		99 %	40,050 mWh
	23:20:57	Active	AC	99 %	40,050 mWh
	23:23:55	Connected standby	AC	99 %	40,050 mWh
	23:24:52	Active	AC	99 %	40,050 mWh
2025-07-10	01:40:04	Connected standby	AC	100 %	40,466 mWh
	01:40:05	Suspended		100 %	40,466 mWh
	15:49:06	Connected standby	AC	99 %	40,129 mWh
	15:49:41	Connected standby	Battery	99 %	39,971 mWh
	15:49:41	Active	Battery	99 %	39,971 mWh
	15:52:11	Connected standby	Battery	98 %	39,679 mWh
	16:36:08	Suspended		97 %	39,409 mWh
	16:48:41	Connected standby	Battery	97 %	39,218 mWh
	16:49:23	Active	Battery	97 %	39,105 mWh
	17:05:40	Connected standby	Battery	88 %	35,719 mWh
	17:06:02	Active	Battery	88 %	35,674 mWh
	17:27:51	Connected standby	Battery	77 %	31,039 mWh
	17:27:51	Suspended		77 %	31,039 mWh
	20:01:08	Connected standby	Battery	76 %	30,656 mWh
	20:01:43	Active	Battery	76 %	30,848 mWh
	20:01:43	Active	AC	76 %	30,848 mWh
	20:45:36	Connected standby	AC	96 %	38,734 mWh
	22:16:06	Active	AC	100 %	40,466 mWh
	22:16:12	Connected standby	AC	100 %	40,466 mWh
	22:16:13	Suspended		100 %	40,466 mWh
2025-07-11	16:06:05	Connected standby	AC	99 %	40,050 mWh
	16:06:40	Connected standby	Battery	98 %	39,803 mWh
	16:06:40	Active	Battery	98 %	39,803 mWh
	16:14:49	Connected standby	Battery	95 %	38,543 mWh
	17:08:21	Suspended		94 %	38,205 mWh
	18:43:42	Connected standby	Battery	93 %	37,620 mWh
	18:44:17	Active	Battery	93 %	37,508 mWh
	18:46:13	Connected standby	Battery	92 %	37,339 mWh
	19:45:09	Suspended		91 %	37,001 mWh
	19:46:08	Connected standby	Battery	91 %	36,889 mWh
	19:46:43	Active	Battery	91 %	36,698 mWh
	19:50:13	Connected standby	Battery	89 %	36,169 mWh
	21:46:54	Suspended		88 %	35,516 mWh
	21:47:29	Connected standby	Battery	87 %	35,359 mWh
	21:48:04	Active	Battery	87 %	35,145 mWh
	21:58:15	Connected standby	Battery	83 %	33,593 mWh
	22:05:20	Active	Battery	83 %	33,525 mWh
	22:05:21	Active	AC	83 %	33,525 mWh
	22:32:30	Connected standby	AC	94 %	38,014 mWh
	23:39:45	Active	AC	100 %	40,466 mWh
	23:41:15	Connected standby	AC	100 %	40,466 mWh
	23:41:15	Suspended		100 %	40,466 mWh
2025-07-12	14:15:47	Connected standby	Battery	99 %	40,061 mWh
	14:16:22	Active	Battery	99 %	39,926 mWh
	14:16:22	Connected standby	Battery	99 %	39,926 mWh
	14:16:42	Active	Battery	99 %	39,904 mWh
	14:28:25	Connected standby	Battery	93 %	37,530 mWh
	14:28:49	Active	Battery	93 %	37,496 mWh
	15:27:01	Connected standby	Battery	69 %	28,091 mWh
	18:23:24	Suspended		66 %	26,854 mWh
	18:23:59	Connected standby	Battery	66 %	26,730 mWh
	18:24:34	Active	Battery	66 %	26,584 mWh
	18:25:15	Active	AC	65 %	26,426 mWh
	18:53:27	Connected standby	AC	86 %	34,706 mWh
	19:08:51	Active	AC	90 %	36,574 mWh
	19:20:51	Connected standby	AC	93 %	37,598 mWh
	20:13:02	Active	AC	100 %	40,466 mWh
	20:20:12	Connected standby	AC	100 %	40,466 mWh
	20:20:51	Active	AC	100 %	40,466 mWh
	20:32:11	Connected standby	AC	100 %	40,466 mWh
	22:13:48	Active	AC	100 %	40,466 mWh
	22:20:48	Connected standby	AC	100 %	40,466 mWh
	22:27:50	Active	AC	100 %	40,466 mWh
	22:29:40	Connected standby	AC	100 %	40,466 mWh
	22:29:40	Suspended		100 %	40,466 mWh
2025-07-13	16:07:33	Connected standby	AC	100 %	40,466 mWh
	16:08:08	Active	AC	100 %	40,466 mWh
	16:08:08	Connected standby	AC	100 %	40,466 mWh
	16:10:05	Active	AC	99 %	40,230 mWh
	16:10:05	Active	Battery	99 %	40,230 mWh
	17:00:19	Connected standby	Battery	79 %	31,995 mWh
	17:01:46	Active	Battery	79 %	31,871 mWh
	17:08:13	Connected standby	Battery	76 %	30,758 mWh
	17:44:14	Suspended		75 %	30,510 mWh
	19:10:24	Connected standby	Battery	74 %	29,959 mWh
	19:10:59	Active	Battery	74 %	29,891 mWh
	19:10:59	Connected standby	Battery	74 %	29,891 mWh
	20:39:42	Suspended		72 %	29,295 mWh
2025-07-14	17:32:32	Connected standby	Battery	100 %	40,466 mWh
	17:33:23	Active	Battery	99 %	39,983 mWh
	17:33:23	Active	AC	99 %	39,983 mWh
	17:33:23	Connected standby	AC	99 %	39,983 mWh
	17:33:23	Suspended		99 %	39,983 mWh
	17:33:58	Connected standby	Battery	98 %	39,803 mWh
	17:34:33	Active	Battery	100 %	40,466 mWh
	17:34:34	Active	AC	100 %	40,466 mWh
	17:45:38	Connected standby	AC	100 %	40,466 mWh
	17:46:11	Active	AC	100 %	40,466 mWh
	17:49:13	Connected standby	AC	100 %	40,466 mWh
	17:53:15	Active	AC	100 %	40,466 mWh
	17:57:51	Connected standby	AC	100 %	40,466 mWh
	19:03:42	Active	AC	100 %	40,466 mWh
	19:04:12	Connected standby	AC	100 %	40,466 mWh
	19:16:21	Active	AC	100 %	40,466 mWh
	19:22:08	Connected standby	AC	100 %	40,466 mWh
	20:48:46	Active	AC	100 %	40,466 mWh
	20:48:50	Connected standby	AC	100 %	40,466 mWh
	20:48:52	Suspended		100 %	40,466 mWh
2025-07-15	15:00:53	Connected standby	AC	97 %	39,420 mWh
	15:01:28	Connected standby	Battery	97 %	39,206 mWh
	15:01:28	Active	Battery	97 %	39,206 mWh
	16:03:11	Connected standby	Battery	71 %	28,924 mWh
	16:08:22	Active	Battery	71 %	28,811 mWh
	17:29:12	Connected standby	Battery	35 %	14,119 mWh
	17:29:36	Active	Battery	35 %	14,063 mWh
	17:50:45	Connected standby	Battery	27 %	11,025 mWh
	17:50:50	Active	Battery	27 %	11,003 mWh
	17:56:33	Active	AC	25 %	10,080 mWh
	17:59:36	Connected standby	AC	30 %	12,004 mWh
	18:40:44	Active	AC	100 %	40,466 mWh
	18:41:16	Connected standby	AC	100 %	40,466 mWh
	23:21:59	Active	AC	98 %	39,780 mWh
	23:21:59	Connected standby	AC	98 %	39,780 mWh
	23:22:02	Suspended		98 %	39,780 mWh
	23:22:37	Connected standby	AC	98 %	39,589 mWh
	23:23:12	Connected standby	Battery	97 %	39,431 mWh
	23:23:12	Active	Battery	97 %	39,431 mWh
	23:34:27	Active	AC	5 %	1,991 mWh
	23:40:07	Active	Battery	13 %	5,445 mWh
	23:56:18	Report generated	Battery	4 %	1,564 mWh

Battery usage

Battery drains over the last 7 days



START TIME		STATE	DURATION	ENERGY DRAINED	
2025-07-09	14:11:49	Connected standby	0:00:00	-	-
	14:11:49	Active	1:06:00	30 %	12,184 mWh
	15:17:49	Connected standby	0:00:02	-	-
	22:45:11	Connected standby	0:00:05	-	22 mWh
	22:45:17	Active	0:07:27	6 %	2,250 mWh
	15:49:41	Connected standby	0:00:00	-	-
	15:49:41	Active	0:02:30	1 %	292 mWh
	15:52:11	Connected standby	0:43:56	1 %	270 mWh
	16:48:41	Connected standby	0:00:42	-	113 mWh
	16:49:23	Active	0:16:16	8 %	3,386 mWh
	17:05:40	Connected standby	0:00:22	-	45 mWh
	17:06:02	Active	0:21:48	11 %	4,635 mWh
	17:27:51	Connected standby	0:00:00	-	-
	20:01:08	Connected standby	0:00:35	-	-192 mWh
	20:01:43	Active	0:00:00	-	-
	16:06:40	Connected standby	0:00:00	-	-
	16:06:40	Active	0:08:09	3 %	1,260 mWh
	16:14:49	Connected standby	0:53:31	1 %	338 mWh
	18:43:42	Connected standby	0:00:35	-	112 mWh
	18:44:17	Active	0:01:55	-	169 mWh
	18:46:13	Connected standby	0:58:56	1 %	338 mWh
	19:46:08	Connected standby	0:00:35	-	191 mWh
	19:46:43	Active	0:03:29	1 %	529 mWh
	19:50:13	Connected standby	1:56:40	2 %	653 mWh
	21:47:29	Connected standby	0:00:35	1 %	214 mWh
	21:48:04	Active	0:10:10	4 %	1,552 mWh
	21:58:15	Connected standby	0:07:05	-	68 mWh
	22:05:20	Active	0:00:01	-	-
2025-07-12	14:15:47	Connected standby	0:00:35	-	135 mWh
	14:16:22	Active	0:00:00	-	-
	14:16:22	Connected standby	0:00:19	-	22 mWh
	14:16:42	Active	0:11:42	6 %	2,374 mWh
	14:28:25	Connected standby	0:00:24	-	34 mWh
	14:28:49	Active	0:58:11	23 %	9,405 mWh
	15:27:01	Connected standby	2:56:22	3 %	1,237 mWh
	18:23:59	Connected standby	0:00:35	-	146 mWh
	18:24:34	Active	0:00:41	-	158 mWh
	16:10:05	Active	0:50:13	20 %	8,235 mWh
	17:00:19	Connected standby	0:01:27	-	124 mWh
	17:01:46	Active	0:06:27	3 %	1,113 mWh
	17:08:13	Connected standby	0:36:00	1 %	248 mWh
	19:10:24	Connected standby	0:00:35	-	68 mWh
	19:10:59	Active	0:00:00	-	-
	19:10:59	Connected standby	1:28:43	1 %	596 mWh
2025-07-14	17:32:32	Connected standby	0:00:50	1 %	483 mWh
	17:33:23	Active	0:00:00	-	-
	17:33:58	Connected standby	0:00:35	-	-663 mWh
	17:34:33	Active	0:00:00	-	-
	15:01:28	Connected standby	0:00:00	-	-
	15:01:28	Active	1:01:43	25 %	10,282 mWh
	16:03:11	Connected standby	0:05:10	-	113 mWh
	16:08:22	Active	1:20:50	36 %	14,692 mWh
	17:29:12	Connected standby	0:00:23	-	56 mWh
	17:29:36	Active	0:21:08	8 %	3,038 mWh
	17:50:45	Connected standby	0:00:05	-	22 mWh
	17:50:50	Active	0:05:42	2 %	923 mWh
	23:23:12	Connected standby	0:00:00	-	-
	23:23:12	Active	0:11:15	93 %	37,440 mWh
	23:40:07	Active	0:16:10	10 %	3,881 mWh

Usage history

History of system usage on AC and battery

	BATTERY DURATION		AC DURATION	
PERIOD	ACTIVE	CONNECTED STANDBY	ACTIVE	CONNECTED STANDBY
2024-10-18 - 2024-10-21	4:08:57	0:07:31	0:23:50	0:22:38
2024-10-21 - 2024-10-28	4:47:03	0:38:47	3:52:00	0:34:35
2024-10-28 - 2024-11-05	12:29:22	2:52:54	7:43:38	17:21:43
2024-11-05 - 2024-11-12	3:43:31	1:12:59	5:16:22	3:23:10
2024-11-12 - 2024-11-18	73:16:33	5:48:50	14:17:20	25:10:09
2024-11-18 - 2024-11-26	9:51:18	20:03:00	4:37:27	2:23:09
2024-11-26 - 2024-12-08	7:24:58	9:44:20	3:34:04	0:00:01
2024-12-08 - 2024-12-09	0:34:41	0:01:59	0:57:08	0:00:35
2024-12-09 - 2024-12-16	120:28:29	44:02:42	38:39:23	31:33:04
2024-12-16 - 2024-12-24	10:49:49	19:46:13	3:11:10	1:34:19
2024-12-24 - 2024-12-31	16:05:06	25:28:50	12:31:51	5:56:29
2024-12-31 - 2025-01-21	9:43:29	4:59:45	5:59:00	1:34:32
2025-01-21 - 2025-01-27	1:07:20	3:40:54	1:20:56	1:09:29
2025-01-27 - 2025-02-06	5:02:50	0:38:08	1:30:02	9:14:40
2025-02-06 - 2025-02-14	2:28:01	0:05:01	0:21:52	4:02:34
2025-02-14 - 2025-02-18	0:21:53	2:35:31	-	0:00:47
2025-02-18 - 2025-02-24	0:59:10	0:33:30	1:19:23	1:17:05
2025-02-24 - 2025-03-03	5:13:33	8:12:51	2:07:08	1:13:02
2025-03-03 - 2025-03-10	15:17:03	7:25:12	16:50:47	6:21:17
2025-03-10 - 2025-03-17	1:23:40	2:15:42	14:39:58	6:11:58
2025-03-17 - 2025-03-24	4:52:47	1:46:23	18:10:07	10:58:23
2025-03-24 - 2025-04-01	3:16:27	3:35:10	8:52:59	5:45:20
2025-04-01 - 2025-04-08	2:20:22	3:14:04	0:39:49	0:45:18
2025-04-08 - 2025-04-15	3:34:34	3:13:35	1:41:46	5:23:26
2025-04-15 - 2025-04-21	1:49:31	2:07:26	0:22:06	0:46:04
2025-04-21 - 2025-04-29	3:17:53	9:20:24	0:07:10	1:39:24
2025-04-29 - 2025-05-11	2:02:53	4:05:51	0:27:23	3:51:56
2025-05-11	0:00:01	-	0:17:03	0:47:29
2025-05-12 - 2025-05-19	8:22:38	1177450:56:26	10:07:55	7:25:22
2025-05-19 - 2025-05-26	14:33:44	1185264:13:38	10:11:44	22:53:42
2025-05-26 - 2025-06-02	-	-	-	-
2025-06-02 - 2025-06-09	2:25:01	1:47:23	1:00:59	0:01:38
2025-06-09 - 2025-06-16	0:59:25	0:15:05	-	0:00:36
2025-06-16 - 2025-06-23	5:34:21	1:32:41	6:08:25	16:12:19
2025-06-23 - 2025-06-30	2:08:39	5:02:03	-	0:23:08
2025-06-30 - 2025-07-07	7:33:15	6:22:01	2:38:19	2:19:23
2025-07-07	2:21:17	592625:27:01	1:10:13	2:10:22
2025-07-08	2:54:43	5:09:36	1:29:56	0:01:38
2025-07-09	1:13:25	0:00:07	2:18:56	0:42:03
2025-07-10	0:40:33	0:45:34	2:24:01	1:31:03
2025-07-11	0:23:43	592625:27:38	0:28:38	1:07:45
2025-07-12	1:10:33	2:58:12	1:07:28	2:56:45
2025-07-13	0:56:39	2:06:43	-	0:02:32
2025-07-14	-	0:01:25	0:25:01	2:49:09

Battery capacity history

Charge capacity history of the system's batteries

PERIOD	FULL CHARGE CAPACITY	DESIGN CAPACITY
2024-10-18 - 2024-10-21	40,466 mWh	40,466 mWh
2024-10-21 - 2024-10-28	40,466 mWh	40,466 mWh
2024-10-28 - 2024-11-05	40,466 mWh	40,466 mWh
2024-11-05 - 2024-11-12	40,466 mWh	40,466 mWh
2024-11-12 - 2024-11-18	40,466 mWh	40,466 mWh
2024-11-18 - 2024-11-26	40,466 mWh	40,466 mWh
2024-11-26 - 2024-12-08	40,466 mWh	40,466 mWh
2024-12-08 - 2024-12-09	40,466 mWh	40,466 mWh
2024-12-09 - 2024-12-16	40,466 mWh	40,466 mWh
2024-12-16 - 2024-12-24	40,466 mWh	40,466 mWh
2024-12-24 - 2024-12-31	40,466 mWh	40,466 mWh
2024-12-31 - 2025-01-21	40,466 mWh	40,466 mWh
2025-01-21 - 2025-01-27	40,466 mWh	40,466 mWh
2025-01-27 - 2025-02-06	40,466 mWh	40,466 mWh
2025-02-06 - 2025-02-14	40,466 mWh	40,466 mWh
2025-02-14 - 2025-02-18	40,466 mWh	40,466 mWh
2025-02-18 - 2025-02-24	40,466 mWh	40,466 mWh
2025-02-24 - 2025-03-03	40,466 mWh	40,466 mWh
2025-03-03 - 2025-03-10	40,466 mWh	40,466 mWh
2025-03-10 - 2025-03-17	40,466 mWh	40,466 mWh
2025-03-17 - 2025-03-24	40,466 mWh	40,466 mWh
2025-03-24 - 2025-04-01	40,466 mWh	40,466 mWh
2025-04-01 - 2025-04-08	40,466 mWh	40,466 mWh
2025-04-08 - 2025-04-15	40,466 mWh	40,466 mWh
2025-04-15 - 2025-04-21	40,466 mWh	40,466 mWh
2025-04-21 - 2025-04-29	40,466 mWh	40,466 mWh
2025-04-29 - 2025-05-11	40,466 mWh	40,466 mWh
2025-05-11	40,466 mWh	40,466 mWh
2025-05-12 - 2025-05-19	81,466 mWh	81,466 mWh
2025-05-19 - 2025-05-26	40,466 mWh	40,466 mWh
2025-05-26 - 2025-06-02	40,466 mWh	40,466 mWh
2025-06-02 - 2025-06-09	40,466 mWh	40,466 mWh
2025-06-09 - 2025-06-16	40,466 mWh	40,466 mWh
2025-06-16 - 2025-06-23	40,466 mWh	40,466 mWh
2025-06-23 - 2025-06-30	40,466 mWh	40,466 mWh
2025-06-30 - 2025-07-07	40,466 mWh	40,466 mWh
2025-07-07	40,466 mWh	40,466 mWh
2025-07-08	40,466 mWh	40,466 mWh
2025-07-09	40,466 mWh	40,466 mWh
2025-07-10	40,466 mWh	40,466 mWh
2025-07-11	40,466 mWh	40,466 mWh
2025-07-12	40,466 mWh	40,466 mWh
2025-07-13	40,466 mWh	40,466 mWh
2025-07-14	40,466 mWh	40,466 mWh

Battery life estimates

Battery life estimates based on observed drains

	AT FULL CHARGE		AT DESIGN CAPACITY	
PERIOD	ACTIVE	CONNECTED STANDBY	ACTIVE	CONNECTED STANDBY
2024-10-18 - 2024-10-21	4:11:27	4:13:03 379 % / 16 h	4:11:27	4:13:03 379 % / 16 h
2024-10-21 - 2024-10-28	4:23:51	33:39:49 48 % / 16 h	4:23:51	33:39:49 48 % / 16 h
2024-10-28 - 2024-11-05	3:48:58	43:23:51 37 % / 16 h	3:48:58	43:23:51 37 % / 16 h
2024-11-05 - 2024-11-12	4:06:38	37:39:38 42 % / 16 h	4:06:38	37:39:38 42 % / 16 h
2024-11-12 - 2024-11-18	15:28:59	42:15:10 38 % / 16 h	15:28:59	42:15:10 38 % / 16 h
2024-11-18 - 2024-11-26	4:31:09	56:19:53 28 % / 16 h	4:31:09	56:19:53 28 % / 16 h
2024-11-26 - 2024-12-08	4:40:42	62:26:43 26 % / 16 h	4:40:42	62:26:43 26 % / 16 h
2024-12-08 - 2024-12-09	3:03:26	2:12:13 726 % / 16 h	3:03:26	2:12:13 726 % / 16 h
2024-12-09 - 2024-12-16	8:19:54	49:40:28 32 % / 16 h	8:19:54	49:40:28 32 % / 16 h
2024-12-16 - 2024-12-24	6:04:09	54:43:29 29 % / 16 h	6:04:09	54:43:29 29 % / 16 h
2024-12-24 - 2024-12-31	6:14:24	61:18:06 26 % / 16 h	6:14:24	61:18:06 26 % / 16 h
2024-12-31 - 2025-01-21	7:23:47	68:06:49 23 % / 16 h	7:23:47	68:06:49 23 % / 16 h
2025-01-21 - 2025-01-27	3:08:46	38:02:40 42 % / 16 h	3:08:46	38:02:40 42 % / 16 h
2025-01-27 - 2025-02-06	5:07:01	28:57:43 55 % / 16 h	5:07:01	28:57:43 55 % / 16 h
2025-02-06 - 2025-02-14	3:42:18	2:51:53 559 % / 16 h	3:42:18	2:51:53 559 % / 16 h
2025-02-14 - 2025-02-18	2:45:21	74:01:10 22 % / 16 h	2:45:21	74:01:10 22 % / 16 h
2025-02-18 - 2025-02-24	3:41:41	17:46:34 90 % / 16 h	3:41:41	17:46:34 90 % / 16 h
2025-02-24 - 2025-03-03	4:49:42	21:31:16 74 % / 16 h	4:49:42	21:31:16 74 % / 16 h
2025-03-03 - 2025-03-10	4:32:23	55:42:23 29 % / 16 h	4:32:23	55:42:23 29 % / 16 h
2025-03-10 - 2025-03-17	4:25:38	115:59:44 14 % / 16 h	4:25:38	115:59:44 14 % / 16 h
2025-03-17 - 2025-03-24	4:44:42	45:14:19 35 % / 16 h	4:44:42	45:14:19 35 % / 16 h
2025-03-24 - 2025-04-01	3:31:07	6309:22:21 - / 16 h	3:31:07	6309:22:21 - / 16 h
2025-04-01 - 2025-04-08	3:55:04	53:50:23 30 % / 16 h	3:55:04	53:50:23 30 % / 16 h
2025-04-08 - 2025-04-15	4:32:48	46:35:41 34 % / 16 h	4:32:48	46:35:41 34 % / 16 h
2025-04-15 - 2025-04-21	3:38:14	47:08:41 34 % / 16 h	3:38:14	47:08:41 34 % / 16 h
2025-04-21 - 2025-04-29	4:25:05	58:51:09 27 % / 16 h	4:25:05	58:51:09 27 % / 16 h
2025-04-29 - 2025-05-11	3:26:44	58:15:37 27 % / 16 h	3:26:44	58:15:37 27 % / 16 h
2025-05-11	-	-	-	-
2025-05-12 - 2025-05-19	11:09:26	564019:58:16 - / 16 h	11:09:26	564019:58:16 - / 16 h
2025-05-19 - 2025-05-26	5:40:12	237986:25:25 - / 16 h	5:40:12	237986:25:25 - / 16 h
2025-05-26 - 2025-06-02	-	-	-	-
2025-06-02 - 2025-06-09	6:03:45	40:59:10 39 % / 16 h	6:03:45	40:59:10 39 % / 16 h
2025-06-09 - 2025-06-16	3:12:11	5:22:56 297 % / 16 h	3:12:11	5:22:56 297 % / 16 h
2025-06-16 - 2025-06-23	3:39:13	32:17:15 50 % / 16 h	3:39:13	32:17:15 50 % / 16 h
2025-06-23 - 2025-06-30	3:19:21	108:28:23 15 % / 16 h	3:19:21	108:28:23 15 % / 16 h
2025-06-30 - 2025-07-07	3:56:52	70:17:55 23 % / 16 h	3:56:52	70:17:55 23 % / 16 h
2025-07-07	4:24:41	494554:59:38 - / 16 h	4:24:41	494554:59:38 - / 16 h
2025-07-08	4:40:10	80:01:56 20 % / 16 h	4:40:10	80:01:56 20 % / 16 h
2025-07-09	3:25:49	3:34:35 447 % / 16 h	3:25:49	3:34:35 447 % / 16 h
2025-07-10	3:17:23	130:13:08 12 % / 16 h	3:17:23	130:13:08 12 % / 16 h
2025-07-11	4:33:25	598888:25:00 - / 16 h	4:33:25	598888:25:00 - / 16 h
2025-07-12	3:59:09	76:21:20 21 % / 16 h	3:59:09	76:21:20 21 % / 16 h
2025-07-13	4:05:13	82:29:32 19 % / 16 h	4:05:13	82:29:32 19 % / 16 h
2025-07-14	-	-	-	-

Current estimate of battery life based on all observed drains since OS install

Since OS install	6:26:34	255088:13:17 - / 16 h	6:26:34	255088:13:17 - / 16 h