

```
<%@ Page Title="Home Page" Language="C#" MasterPageFile="~/Site.Master"
AutoEventWireup="true" CodeBehind="Default.aspx.cs" Inherits="Job_Details_Web_Client._Default"
%>
```

```
<asp:Content ID="BodyContent" ContentPlaceHolderID="MainContent" runat="server">
```

```
<script src="https://code.jquery.com/jquery-3.4.1.js"></script>
```

```
<script type="text/javascript" src="Scripts/jquery.datetimepicker.full.js"></script>
```

```
<!--
```

```
<script type="text/javascript" src="https://code.jquery.com/jquery-1.11.3.js"></script>
```

```
<script type="text/javascript" src="https://code.jquery.com/ui/1.11.4/jquery-ui.js"></script>
```

```
<link href="https://code.jquery.com/ui/1.11.4/themes/smoothness/jquery-ui.css" rel="stylesheet"
type="text/css" />
```

```
-->
```

```
<link href="Content/jquery.datetimepicker.min.css" rel="stylesheet" />
```

```
<script>
```

```
function displayNotification() {
```

```
    var notif = document.getElementById("note");
```

```
    //alert(notif);
```

```
    notif.style.display = 'block';
```

```
    setTimeout(function(){
```

```
        document.getElementById("note").style.display = "none";
```

```
    }, 5000);
```

```
}
```

```
function displayNoAccessNotification() {
```

```
    var notif = document.getElementById("NoAccess");
```

```
    notif.style.display = 'block';
```

```
    setTimeout(function(){
```

```

        document.getElementById("NoAccess").style.display = "none";
    }, 5000);
}

//document.getElementById("test").datetimepicker();
function openInNewTab() {
    window.document.forms[0].target = '_blank';
    setTimeout(function () { window.document.forms[0].target = ""; }, 0);
}

function saveAll() {
    document.getElementById('<%= SaveAllButton.ClientID %>').click();
}

function copy() {
    var copyTo = prompt("Please enter the sales order you want to copy to", "");
    if (copyTo != null) {
        document.getElementById('<%= copyToTB.ClientID %>').innerText = copyTo;
        document.getElementById('<%= copyButton.ClientID %>').click();
    }
}

function generalGridAdd() {
    document.getElementById('<%= generalGridAddB.ClientID %>').click();
}

function torqueAndDragGridAdd() {
    document.getElementById('<%= torqueAndDragAddB.ClientID %>').click();
}

function workLogGridAdd() {

```

```

        document.getElementById('<%= addWorkLogB.ClientID %>').click();
    }
function fracDataGridAdd() {
    document.getElementById('<%= fracDataAddButton.ClientID %>').click();
}

function openCity(cityName) {
    var currentTabid = "dGeneral";
    //alert(currentTabid);

    if (cityName !== "") {
        currentTabid = cityName;
    }

    var i, x, tablinks;
    x = document.getElementsByClassName("city");
    for (i = 0; i < x.length; i++) {
        x[i].style.display = "none";
    }
    tablinks = document.getElementsByClassName("tablink");
    for (i = 0; i < x.length; i++) {
        tablinks[i].className = tablinks[i].className.replace(" w3-border-red", "");
    }
    document.getElementById(cityName).style.display = "block";
    document.getElementById("div" + cityName).className += " w3-border-red";
    document.getElementById('<%= currentTabTB.ClientID %>').value = currentTabid;
}

function updateStatus(Caller, fieldName) {

```

```

        if (Caller.parentElement.parentElement.querySelector("#row_status").value !== "ADD" &&
Caller.parentElement.parentElement.querySelector("#row_status").value !== "DELETE") {

            Caller.parentElement.parentElement.querySelector("#row_status").value =
Caller.parentElement.parentElement.querySelector("#row_status").value + fieldName + ",";

        }

    }

</script>

```

```

<asp:UpdatePanel ID="UpdatePanel1" runat="server" AsyncPostBackTimeout="0">

```

```

    <ContentTemplate>

```

```

        <asp:Panel ID="NoAccessPanel" runat="server" CssClass="no-access-panel">

```

```

            You do not have access to this page. Please contact your system administrator to gain access.

```

```

        </asp:Panel>

```

```

        <asp:Button ID="accessButton" runat="server" Visible="false"></asp:Button>

```

```

        <asp:TextBox ID="currentTabTB" runat="server" Text="General" CssClass="hidden-
field"></asp:TextBox>

```

```

        <asp:TextBox ID="copyToTB" runat="server" CssClass="hidden-field"></asp:TextBox>

```

```

        <input type="text" id="test123" name="test123" value="111" class="hasDatepicker"
style="display: none;" />

```

```

        <div class="w3-container" style="padding:5px 20px 0px 15px; margin-bottom: 6px;">

```

```

            <span tabindex="-1" class="ms-crm-CommandBar-Button ms-crm-Menu-Label" style="max-
width:200px">

```

```

                <a tabindex="0" class="ms-crm-Menu-Label" onclick="saveAll();" >

```

```

                    </img>

```

```

                    <span tabindex="-1" class="ms-crm-CommandBar-Menu" style="max-width:150px; cursor:
pointer;"> SAVE </span>

```


 COPY

<asp:Panel ID="uploadButtonPanel" CssClass="ms-crm-CommandBar-Button ms-crm-Menu-Label upload-button-container" runat="server">

 ATTACH

</asp:Panel>

 JOB REPORT

 FRAC DATA

 JSA


```
<asp:Button ID="Button1" style="display:none" runat="server" Text="Save All"
OnClick="SaveAllButton_Click1" />
```

```
<asp:Button ID="SaveAllButton" style="display:none" runat="server" Text="Save All"
OnClick="SaveAllButton_Click1" />
```

```
<asp:Button ID="copyButton" style="display:none" runat="server" Text="Copy"
OnClick="CopyButton_Click" />
```

```
</div>
```

```
<div class="w3-container">
```

```
<div class="w3-row">
```

```
<a href="javascript:void(0)" onclick="openCity('General');">
```

```
<div id="divGeneral" class="w3-col col7 tablink w3-bottombar w3-hover-light-grey w3-
border-red" style="text-overflow:ellipsis"><h6>General</h6></div>
```

```
</a>
```

```
<a href="javascript:void(0)" onclick="openCity('TorqueAndDrag');">
```

```
<div id="divTorqueAndDrag" class="w3-col col7 tablink w3-bottombar w3-hover-light-grey
" style="text-overflow:ellipsis"><h6>Torque and Drag</h6></div>
```

```
</a>
```

```
<a href="javascript:void(0)" onclick="openCity('WorkLog');">
```

```
<div id="divWorkLog" class="w3-col col7 tablink w3-bottombar w3-hover-light-grey "
style="text-overflow:ellipsis"><h6>Work Log</h6></div>
```

```
</a>
```

```
<a href="javascript:void(0)" onclick="openCity('FracData');">
```

```
<div id="divFracData" class="w3-col col7 tablink w3-bottombar w3-hover-light-grey "
style="text-overflow:ellipsis"><h6>Frac Data</h6></div>
```

```
</a>
```

```
<a href="javascript:void(0)" onclick="openCity('JSA');">
```

```
<div id="divJSA" class="w3-col col7 tablink w3-bottombar w3-hover-light-grey "
style="text-overflow:ellipsis"><h6>JSA</h6></div>
```

```
</a>
```

```
<a href="javascript:void(0)" onclick="openCity('RiskRating');">
```

```

        <div id="divRiskRating" class="w3-col col7 tablink w3-bottombar w3-hover-light-grey "
style="text-overflow:ellipsis"><h6>Risk Rating</h6></div>

        </a>

        <a href="javascript:void(0)" onclick="openCity('SeatSize');">

            <div id="divSeatSize" class="w3-col col7 tablink w3-bottombar w3-hover-light-grey"
style="text-overflow:ellipsis"><h6>Seat Size</h6></div>

            </a>

        </div>

</div>

<!-- General Section -->

<div id="General" class="w3-container city" style="display:block ">

    <!--<h2>General</h2> -->

    <div class="w3-col m3 "><br><label class="noBold">Sales Order</label><asp:TextBox
ID="SalesOrderTB" CssClass="w3-input-mod" runat="server" ReadOnly="true"></asp:TextBox></div>

    <div class="w3-col m3 "><br><label class="noBold">Job Date</label><asp:TextBox
ID="JobDateTB" CssClass="w3-input-mod JQ_Date" runat="server"></asp:TextBox></div>

    <div class="w3-col m3 "><br><label class="noBold">Job Type</label><asp:TextBox
ID="JobTypeTB" CssClass="w3-input-mod" runat="server"></asp:TextBox></div>

    <div class="w3-col m3 "><br><label class="noBold">Station</label><asp:TextBox
ID="StationTB" CssClass="w3-input-mod" runat="server"></asp:TextBox></div>

    <div class="w3-col m3 "><br><label class="noBold">Location</label><asp:TextBox
ID="LocationTB" CssClass="w3-input-mod" runat="server"></asp:TextBox></div>

    <div class="w3-col m3 "><br><label class="noBold">KB</label><asp:TextBox ID="KBTB"
CssClass="w3-input-mod" runat="server"></asp:TextBox></div>

    <br />

    <div class="w3-col m12">

        <br />

        <hr />

        <div class="w3-col m12" style="overflow-x:auto;">

            <asp:Button ID="generalGridAddB" runat="server" Text="hidden" CssClass="hidden-field"
OnClick="generalGridAddB_Click" />

```

```

        <span tabindex="-1" class="ms-crm-CommandBar-Button ms-crm-Menu-Label"
style="max-width:200px">

            <a tabindex="0" class="ms-crm-Menu-Label" onclick="generalGridAdd();" >

                 </img>

                <span tabindex="-1" class="grid-add-menu" style="max-width:150px"> Add Line
</span>

            </a>

        </span>

        <asp:GridView ID="generalGV" runat="server" AutoGenerateColumns="False"
CssClass="w3-table-all w3-tiny" OnRowDataBound="generalGV_RowDataBound">

            <Columns>

                <asp:TemplateField HeaderStyle-Width="20px" ItemStyle-HorizontalAlign="Center"
><ItemTemplate><asp:ImageButton ID="deleteB" ImageUrl="~/images/actions_delete_bin_16.png"
AlternateText="Delete Line" OnClick="generalGVDeleteB_Click" runat="server"
/></ItemTemplate></asp:TemplateField>

                <asp:TemplateField HeaderText="ID" ><ItemTemplate><asp:TextBox
ID="ees_OrderToolDetailsId" runat="server" ClientIDMode="Static" Text='<%#
Bind("ees_OrderToolDetailsId") %>'
CssClass="cell_input"></asp:TextBox></ItemTemplate></asp:TemplateField>

                <asp:TemplateField HeaderText="Type">

                    <ItemTemplate>

                        <asp:DropDownList ID="ees_Type" runat="server" CssClass="ddl_style">

                            <asp:ListItem Value="276030001">Casing #1</asp:ListItem>

                            <asp:ListItem Value="276030002">Casing #2</asp:ListItem>

                        </asp:DropDownList>

                    </ItemTemplate>

                </asp:TemplateField>

                <asp:TemplateField HeaderText="Size" ><ItemTemplate><asp:TextBox ID="ees_Size"
runat="server" ClientIDMode="Static" Text='<%# Bind("ees_Size") %>' CssClass="cell_input"
></asp:TextBox></ItemTemplate></asp:TemplateField>

                <asp:TemplateField HeaderText="Weight" ><ItemTemplate><asp:TextBox
ID="ees_Weight" runat="server" ClientIDMode="Static" Text='<%# Bind("ees_Weight") %>'
CssClass="cell_input" ></asp:TextBox></ItemTemplate></asp:TemplateField>

```

```
        <asp:TemplateField HeaderText="ID" ><ItemTemplate><asp:TextBox ID="ees_ID"
runat="server" ClientIDMode="Static" Text='<%= Bind("ees_ID") %>' CssClass="cell_input"
></asp:TextBox></ItemTemplate></asp:TemplateField>
```

```
    </Columns>
```

```
    </asp:GridView>
```

```
  </div>
```

```
</div>
```

```
<div class="w3-col m12 ">
```

```
  <br />
```

```
  <br />
```

```
  <h6 style="text-align:left;"><strong>File Attachments</strong></h6>
```

```
</div>
```

```
<div class="w3-col m12 " style="width:600px;">
```

```
  <asp:GridView ID="fileAttachmentGV" runat="server" AutoGenerateColumns="False"
  CssClass="w3-table-all w3-tiny w3-table-no-border " OnRowDataBound="generalGV_RowDataBound"
  ShowHeader="false">
```

```
    <Columns>
```

```
      <asp:TemplateField ItemStyle-Width="30px" ItemStyle-CssClass="w3-left-align"
><ItemTemplate><asp:ImageButton ID="deleteB" ImageUrl="~/images/Delete16.png"
AlternateText="Delete Line" OnClientClick="return confirm('Are you sure you want to delete?');"
OnClick="fileAttachmentGVDeleteB_Click" runat="server" /></ItemTemplate></asp:TemplateField>
```

```
      <asp:TemplateField HeaderText="ID" ItemStyle-Width="10px"
><ItemTemplate><asp:TextBox ID="AnnotationId" runat="server" ClientIDMode="Static" Text='<%=
Bind("AnnotationId") %>'
  CssClass="cell_input_file_link"></asp:TextBox></ItemTemplate></asp:TemplateField>
```

```
      <asp:TemplateField HeaderText="File Name" ItemStyle-Width="550px" ItemStyle-
  CssClass="w3-left-align"><ItemTemplate><asp:LinkButton ID="FileName" runat="server"
  ClientIDMode="Static" Text='<%= Bind("FileName") %>' CssClass="cell_input_file_link"
  OnClientClick="openInNewTab()"
  OnClick="FileName_Click"></asp:LinkButton></ItemTemplate></asp:TemplateField>
```

```
      <asp:TemplateField HeaderText="Row Status"><ItemTemplate><asp:TextBox
ID="row_status" runat="server" ClientIDMode="Static" Text="" CssClass="cell_input"
ReadOnly="true"></asp:TextBox></ItemTemplate></asp:TemplateField>
```

```

        </Columns>

    </asp:GridView>

    <br />

    <br />

</div>

</div>

```

```

<!-- Torque and Drag -->

<div id="TorqueAndDrag" class="w3-container city" style="display:none">

    <!-- <h2>Torque & Drag Information</h2> -->

    <div class="w3-col m3 "><br><label class="noBold">Liner String Weight</label><asp:TextBox
ID="ees_LinerStringWeight" CssClass="w3-input-mod" runat="server"></asp:TextBox></div>

    <div class="w3-col m3 "><br><label class="noBold">Key Deviation - Kick
Off</label><asp:TextBox ID="ees_KeyDeviationKickOff" CssClass="w3-input-mod"
runat="server"></asp:TextBox></div>

    <div class="w3-col m3 "><br><label class="noBold">Key Deviation - 30</label><asp:TextBox
ID="ees_KeyDeviations30" CssClass="w3-input-mod" runat="server"></asp:TextBox></div>

    <div class="w3-col m3 "><br><label class="noBold">Key Deviation - 60</label><asp:TextBox
ID="ees_KeyDeviations60" CssClass="w3-input-mod" runat="server" ></asp:TextBox></div>

    <div class="w3-col m3 "><br><label class="noBold">Key Deviation - 90</label><asp:TextBox
ID="ees_KeyDeviations90" CssClass="w3-input-mod" runat="server"></asp:TextBox></div>

    <div class="w3-col m3 "><br><label class="noBold">Key Deviation - td</label><asp:TextBox
ID="ees_KeyDeviationstd88" CssClass="w3-input-mod" runat="server"></asp:TextBox></div>

    <br />

    <div class="w3-col m12">

        <br />

        <hr />

        <div class="w3-col m12" style="width:600px;">

            <asp:Button ID="torqueAndDragAddB" runat="server" Text="Add" CssClass="hidden-field"
OnClick="torqueAndDragGridAddB_Click" />

            <span tabindex="-1" class="ms-crm-CommandBar-Button ms-crm-Menu-Label"
style="max-width:200px">

```

```

<a tabindex="0" class="ms-crm-Menu-Label" onclick="torqueAndDragGridAdd();" >

     </img>

    <span tabindex="-1" class="grid-add-menu" style="max-width:150px"> Add Line
</span>

</a>

</span>

<asp:GridView ID="torqueAndDragDV" runat="server" AutoGenerateColumns="False"
CssClass="w3-table-all w3-tiny" OnRowDataBound="generalGV_RowDataBound">

    <Columns>

        <asp:TemplateField HeaderStyle-Width="20px" ><ItemTemplate><asp:ImageButton
ID="deleteB" ImageUrl="~/images/actions_delete_bin_16.png" AlternateText="Delete Line"
OnClick="torqueAndDragGVDeleteB_Click" runat="server" /></ItemTemplate></asp:TemplateField>

        <asp:TemplateField HeaderText="ID" ><ItemTemplate><asp:TextBox
ID="ees_TorgeDragDetailsId" runat="server" ClientIDMode="Static" Text='<##
Bind("ees_TorgeDragDetailsId") %>'
CssClass="cell_input"></asp:TextBox></ItemTemplate></asp:TemplateField>

        <asp:TemplateField HeaderText="String Weight - Depth" HeaderStyle-Width="150px"
><ItemTemplate>

            <asp:DropDownList ID="ees_StringWeightDepth" runat="server"
CssClass="ddl_style">

                <asp:ListItem Value="276030000">0500m</asp:ListItem>

                <asp:ListItem Value="276030001">1000m</asp:ListItem>

                <asp:ListItem Value="276030002">1500m</asp:ListItem>

                <asp:ListItem Value="276030003">2000m</asp:ListItem>

            </asp:DropDownList>

        </ItemTemplate></asp:TemplateField>

        <asp:TemplateField HeaderText="UP-Dan" HeaderStyle-Width="100px"
><ItemTemplate><asp:TextBox ID="ees_upDan" runat="server" ClientIDMode="Static" Text='<##
Bind("ees_upDan") %>' CssClass="cell_input" ></asp:TextBox></ItemTemplate></asp:TemplateField>

        <asp:TemplateField HeaderText="DOWN-Dan" HeaderStyle-Width="100px"
><ItemTemplate><asp:TextBox ID="ees_downDan" runat="server" ClientIDMode="Static" Text='<##
Bind("ees_downDan") %>' CssClass="cell_input"
></asp:TextBox></ItemTemplate></asp:TemplateField>

```

```

        <asp:TemplateField HeaderText="Row Status" HeaderStyle-Width="70%"
><ItemTemplate><asp:TextBox ID="row_status" runat="server" ClientIDMode="Static" Text='<%#
Bind("row_status") %>' CssClass="cell_input"></asp:TextBox></ItemTemplate></asp:TemplateField>

    </Columns>

</asp:GridView>

</div>

</div>

</div>

```

```

<!-- Paris -->

<div id="WorkLog" class="w3-container city" style="display:none; margin-top: 20px;">

    <!-- <h2>Work Log</h2> -->

    <div class="w3-col m12">

        <div class="w3-col m12">

            <asp:Button ID="addWorkLogB" runat="server" Text="Add" CssClass="hidden-field"
OnClick="workLogGridAddB_Click" />

            <span tabindex="-1" class="ms-crm-CommandBar-Button ms-crm-Menu-Label"
style="max-width:200px">

                <a tabindex="0" class="ms-crm-Menu-Label" onclick="workLogGridAdd();" >

                     </img>

                    <span tabindex="-1" class="grid-add-menu" style="max-width:150px"> Add Line
</span>

                </a>

            </span>

            <asp:GridView ID="workLogGV" runat="server" AutoGenerateColumns="False"
CssClass="w3-table-all w3-tiny" OnRowDataBound="generalGV_RowDataBound">

                <Columns>

                    <asp:TemplateField HeaderStyle-Width="20px" ><ItemTemplate><asp:ImageButton
ID="deleteB" ImageUrl="~/images/actions_delete_bin_16.png" AlternateText="Delete Line"
OnClick="workLogGVDeleteB_Click" runat="server" /></ItemTemplate></asp:TemplateField>

```

```
<asp:TemplateField HeaderText="ID" ><ItemTemplate><asp:TextBox
ID="ees_worklogId" runat="server" ClientIDMode="Static" Text='<%# Bind("ees_worklogId") %>'
CssClass="cell_input"></asp:TextBox></ItemTemplate></asp:TemplateField>
```

```
<asp:TemplateField HeaderText="Start Date Time" HeaderStyle-Width="100px"
><ItemTemplate><asp:TextBox ID="ees_StartDateTime" TextMode="DateTime" runat="server"
ClientIDMode="Static" Text='<%# Bind("ees_StartDateTime") %>' CssClass="cell_input
JQ_Date_Time"></asp:TextBox></ItemTemplate></asp:TemplateField>
```

```
<asp:TemplateField HeaderText="End Date Time" HeaderStyle-Width="100px"
><ItemTemplate><asp:TextBox ID="ees_EndDateTime" TextMode="DateTime" runat="server"
ClientIDMode="Static" Text='<%# Bind("ees_EndDateTime") %>' CssClass="cell_input
JQ_Date_Time"></asp:TextBox></ItemTemplate></asp:TemplateField>
```

```
<asp:TemplateField HeaderText="Description" HeaderStyle-Width="80%" ItemStyle-
Width="80%"><ItemTemplate><asp:TextBox ID="ees_MultiLineDescription" runat="server"
ClientIDMode="Static" Text='<%# Bind("ees_MultiLineDescription") %>' CssClass="cell_input_text_area"
TextMode="MultiLine" Rows="18"></asp:TextBox></ItemTemplate></asp:TemplateField>
```

```
<asp:TemplateField HeaderText="Row Status" ><ItemTemplate><asp:TextBox
ID="row_status" runat="server" ClientIDMode="Static" Text='<%# Bind("row_status") %>'
CssClass="cell_input"></asp:TextBox></ItemTemplate></asp:TemplateField>
```

```
</Columns>
```

```
</asp:GridView>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- Frac Data -->
```

```
<div id="FracData" class="w3-container city" style="display:none">
```

```
<!-- <h2>FRAC Data</h2> -->
```

```
<div class="w3-col m3 "><br><label class="noBold">Formation</label><asp:TextBox
ID="ees_formation" CssClass="w3-input-mod" runat="server"></asp:TextBox></div>
```

```
<div class="w3-col m3 "><br><label class="noBold">Install Date</label><asp:TextBox
ID="ees_installdate" TextMode="Date" CssClass="w3-input-mod JQ_Date"
runat="server"></asp:TextBox></div>
```

```
<br />
```

```
<div class="w3-col m12">
```

```

<br />

<hr />

<asp:Button ID="fracDataAddButton" runat="server" Text="Add" CssClass="hidden-field"
OnClick="fracDataGridAddB_Click" />

<span tabindex="-1" class="ms-crm-CommandBar-Button ms-crm-Menu-Label" style="max-
width:200px">

    <a tabindex="0" class="ms-crm-Menu-Label" onclick="fracDataGridAdd();" >

         </img>

        <span tabindex="-1" class="grid-add-menu" style="max-width:150px"> Add Line </span>

    </a>

</span>

<div class="w3-col m12" style="overflow-x:auto;">

    <asp:GridView ID="fracDataGV" runat="server" AutoGenerateColumns="False"
CssClass="w3-table-all w3-tiny" OnRowDataBound="generalGV_RowDataBound">

        <Columns>

            <asp:TemplateField HeaderStyle-Width="20px" ><ItemTemplate><asp:ImageButton
ID="deleteB" ImageUrl="~/images/actions_delete_bin_16.png" AlternateText="Delete Line"
OnClick="fracDataGVDeleteB_Click" runat="server" /></ItemTemplate></asp:TemplateField>

            <asp:TemplateField HeaderText="ID" ><ItemTemplate><asp:TextBox
ID="ees_msfsschematicId" runat="server" ClientIDMode="Static" Text='<%#
Bind("ees_msfsschematicId") %>'
CssClass="cell_input_sm"></asp:TextBox></ItemTemplate></asp:TemplateField>

            <asp:TemplateField HeaderText="Stage #" HeaderStyle-Width="70px"
><ItemTemplate><asp:TextBox ID="ees_Stage" runat="server" ClientIDMode="Static" Text='<%#
Bind("ees_Stage") %>' CssClass="cell_input_sm"
></asp:TextBox></ItemTemplate></asp:TemplateField>

            <asp:TemplateField HeaderText="Seat ID" HeaderStyle-Width="70px"
><ItemTemplate><asp:TextBox ID="ees_SeatID" runat="server" ClientIDMode="Static" Text='<%#
Bind("ees_SeatID") %>' CssClass="cell_input_sm"
></asp:TextBox></ItemTemplate></asp:TemplateField>

            <asp:TemplateField HeaderText="Row Status" ><ItemTemplate><asp:TextBox
ID="row_status" runat="server" ClientIDMode="Static" Text='<%# Bind("row_status") %>'
CssClass="cell_input"></asp:TextBox></ItemTemplate></asp:TemplateField>

        </Columns>

```

```

        </asp:GridView>
    </div>
</div>
</div>

<!-- JSA -->
<div id="JSA" class="w3-container city" style="display:none; overflow-y:auto; margin-top:20px;">
    <!-- <h2>JSA</h2> -->
    <div class="w3-col m6">
        <div class="w3-col m12" style="overflow-x:auto;font-weight:bold; text-align:left; border-
bottom: 1px solid #cecbcb; margin-bottom: 10px; width: 90%"><span>Site Inspection / Hazard Control
Measures</span></div>
        <div class="w3-col m6">
            <span>Overhead Hazards</span>
            <asp:CheckBoxList ID="ees_OverheadHazardsValue" runat="server"
RepeatDirection="Horizontal" RepeatColumns="3" CssClass="checkboxListStyle checkboxTableStyle">
                <asp:ListItem Text="Hard Hat" Value="Hard Hat"></asp:ListItem>
                <asp:ListItem Text="Spotter Required" Value="Spotter Required"></asp:ListItem>
                <asp:ListItem Text="Pay Attention" Value="Pay Attention"></asp:ListItem>
            </asp:CheckBoxList>
        </div>
        <div class="w3-col m6">
            <span>Open Excavations</span>
            <asp:CheckBoxList ID="ees_OpenExcavationsValue" runat="server"
RepeatDirection="Horizontal" RepeatColumns="2" CssClass="checkboxListStyle checkboxTableStyle">
                <asp:ListItem Text="Watching Footing" Value="Watching Footing"></asp:ListItem>
                <asp:ListItem Text="Barricades/Flagging Required" Value="Barricades/Flagging
Required"></asp:ListItem>
            </asp:CheckBoxList>
        </div>
    </div>

```

```

<div class="w3-col m6">

    <span>Manual Lifting</span>

    <asp:CheckBoxList ID="ees_ManualLiftingValue" runat="server"
RepeatDirection="Horizontal" RepeatColumns="2" CssClass="checkboxListStyle checkboxTableStyle">

        <asp:ListItem Text="Get Help with Lifting" Value="Get Help with Lifting"></asp:ListItem>

        <asp:ListItem Text="Use Proper Techniques" Value="Use Proper
Techniques"></asp:ListItem>

    </asp:CheckBoxList>

</div>

<div class="w3-col m6">

    <span>Toxic Atmosphere (H2S)</span>

    <asp:CheckBoxList ID="ees_ToxicAtmosphereh2sValue" runat="server"
RepeatDirection="Horizontal" RepeatColumns="2" CssClass="checkboxListStyle checkboxTableStyle">

        <asp:ListItem Text="Monitor Atmosphere" Value="Monitor
Atmosphere"></asp:ListItem>

        <asp:ListItem Text="Valid H2S Certificate" Value="Valid H2S Certificate"></asp:ListItem>

    </asp:CheckBoxList>

</div>

<div class="w3-col m6">

    <span>Ground Conditions (Uneven, Muddy, Icy)</span>

    <asp:CheckBoxList ID="ees_GroundConditionsValue" runat="server"
RepeatDirection="Horizontal" RepeatColumns="2" CssClass="checkboxListStyle checkboxTableStyle">

        <asp:ListItem Text="Proper Footing" Value="Proper Footing"></asp:ListItem>

        <asp:ListItem Text="Pay Attention" Value="Pay Attention"></asp:ListItem>

    </asp:CheckBoxList>

</div>

<div class="w3-col m6">

    <span>Conflicting Work Activity</span>

    <asp:CheckBoxList ID="ees_ConflictingWorkActivityValue" runat="server"
RepeatDirection="Horizontal" RepeatColumns="2" CssClass="checkboxListStyle checkboxTableStyle">

        <asp:ListItem Text="Pay Attention" Value="Pay Attention"></asp:ListItem>

```

<asp:ListItem Text="Use Spotter When Backing Up" Value="Use Spotter When Backing Up"></asp:ListItem>

</asp:CheckBoxList>

</div>

<div class="w3-col m6">

Working Above Ground (Exceeding 3m)

<asp:CheckBoxList ID="ees_WorkingAboveGroundValue" runat="server"
RepeatDirection="Horizontal" RepeatColumns="2" CssClass="checkboxListStyle checkboxTableStyle">

<asp:ListItem Text="Use Safety Harness" Value="Use Safety Harness"></asp:ListItem>

<asp:ListItem Text="Spotter Required" Value="Spotter Required"></asp:ListItem>

</asp:CheckBoxList>

</div>

<div class="w3-col m6">

High Risk Positioning

<asp:CheckBoxList ID="ees_HighRiskPositioningValue" runat="server"
RepeatDirection="Horizontal" RepeatColumns="2" CssClass="checkboxListStyle checkboxTableStyle">

<asp:ListItem Text="Use 3 Point Contact" Value="Use 3 Point Contact"></asp:ListItem>

<asp:ListItem Text="Use Harness/Lanyard" Value="Use
Harness/Lanyard"></asp:ListItem>

</asp:CheckBoxList>

</div>

<div class="w3-col m6">

Poor Illumination

<asp:CheckBoxList ID="ees_PoorIlluminationValue" runat="server"
RepeatDirection="Horizontal" RepeatColumns="1" CssClass="checkboxListStyle checkboxTableStyle">

<asp:ListItem Text="Night lighting Required" Value="Night lighting
Required"></asp:ListItem>

</asp:CheckBoxList>

</div>

<div class="w3-col m6">

Pinch Points

```

        <asp:CheckBoxList ID="ees_PinchPointsValue" runat="server"
RepeatDirection="Horizontal" RepeatColumns="2" CssClass="checkboxListStyle checkboxTableStyle">
            <asp:ListItem Text="Wear Gloves" Value="Wear Gloves"></asp:ListItem>
            <asp:ListItem Text="Be Aware at All Times" Value="Be Aware at All
Times"></asp:ListItem>
        </asp:CheckBoxList>
    </div>

    <div class="w3-col m6">
        <span>Testing / Flushing</span>
        <asp:CheckBoxList ID="ees_TestingFlushingValue" runat="server"
RepeatDirection="Horizontal" RepeatColumns="2" CssClass="checkboxListStyle checkboxTableStyle">
            <asp:ListItem Text="Be Aware of High Pressure" Value="Be Aware of High
Pressure"></asp:ListItem>
            <asp:ListItem Text="Rotating Equipment" Value="Rotating Equipment"></asp:ListItem>
        </asp:CheckBoxList>
    </div>

    <div class="w3-col m6">
        <span>Pipe / Tool Handling</span>
        <asp:CheckBoxList ID="ees_PipeToolHandlingValue" runat="server"
RepeatDirection="Horizontal" RepeatColumns="3" CssClass="checkboxListStyle checkboxTableStyle">
            <asp:ListItem Text="Be Aware of Pinch Points" Value="Be Aware of Pinch
Points"></asp:ListItem>
            <asp:ListItem Text="Rotating Equipment" Value="Rotating Equipment"></asp:ListItem>
        </asp:CheckBoxList>
    </div>

    <div class="w3-col m6">
        <span>Conflicting Rig Activities</span>
        <asp:CheckBoxList ID="ees_ConflictingRigActivitiesValue" runat="server"
RepeatDirection="Horizontal" RepeatColumns="2" CssClass="checkboxListStyle checkboxTableStyle">
            <asp:ListItem Text="Stay Clear" Value="Stay Clear"></asp:ListItem>
            <asp:ListItem Text="Be Aware at All Times" Value="Be Aware at All
Times"></asp:ListItem>

```

```

        </asp:CheckBoxList>
    </div>

    <div class="w3-col m6">

        <span>Flammable Products</span>

        <asp:CheckBoxList ID="ees_FlammableProductsValue" runat="server"
RepeatDirection="Horizontal" RepeatColumns="1" CssClass="checkboxListStyle checkboxTableStyle">

            <asp:ListItem Text="Remove From Potential Ignition Sources" Value="Remove From
Potential Ignition Sources"></asp:ListItem>

        </asp:CheckBoxList>
    </div>

    <div class="w3-col m6">

        <span>Environmental Hazards</span>

        <asp:CheckBoxList ID="ees_EnvironmentalHazardsValue" runat="server"
RepeatDirection="Horizontal" RepeatColumns="2" CssClass="checkboxListStyle checkboxTableStyle">

            <asp:ListItem Text="Proper Waste Disposal" Value="Proper Waste
Disposal"></asp:ListItem>

            <asp:ListItem Text="Proper Containment" Value="Proper Containment"></asp:ListItem>

        </asp:CheckBoxList>
    </div>
</div>

<div class="w3-col m6">

    <div class="w3-col m12">

        <div class="w3-col m12" style="overflow-x:auto;font-weight:bold; text-align:left; border-
bottom: 1px solid #cecbcb; margin-bottom: 10px"><span >Tailgate Meeting</span></div>

        <div class="w3-col m6"><asp:CheckBox ID="ees_HardHat" Text="Hard Hat" runat="server"
/></div>

        <div class="w3-col m6"><asp:CheckBox ID="ees_SafetyGlasses" Text="Safety Glasses"
runat="server" /></div>

        <div class="w3-col m6"><asp:CheckBox ID="ees_Gloves" Text="Gloves" runat="server"
/></div>
    </div>
</div>

```

```
<div class="w3-col m6"><asp:CheckBox ID="ees_Coveralls" Text="Coveralls"
runat="server" /></div>
```

```
<div class="w3-col m6"><asp:CheckBox ID="ees_SaftyFootware" Text="Safty Footware"
runat="server" /></div>
```

```
<div class="w3-col m6"><asp:CheckBox ID="ees_SaftyHarness" Text="Safty Harness"
runat="server" /></div>
```

```
<div class="w3-col m12"><label class="noBold" style="display:inline-block; width:
300px;">Required PPE Other</label><asp:TextBox ID="ees_RequiredPPEOther" CssClass="w3-input-
mod-inline" style="display:inline-block;" runat="server"></asp:TextBox></div>
```

```
</div>
```

```
<div class="w3-col m12">
```

```
<div class="w3-col m12" style="overflow-x:auto;font-weight:bold; text-align:left; border-
bottom: 1px solid #cecbcb; margin-bottom: 10px;margin-top: 20px;"><span >Emergency Response
Plan</span></div>
```

```
<div class="w3-col m12"><label class="noBold" style="display:inline-block; width:
300px;">Location of Muster Area</label><asp:TextBox ID="ees_LocationofMusterArea" CssClass="w3-
input-mod-inline" style="display:inline-block;" runat="server" ></asp:TextBox></div>
```

```
<div class="w3-col m12 "><label class="noBold" style="display:inline-block; width:
300px;">Location of Wind Socks</label><asp:TextBox ID="ees_LocationofWindSocks" CssClass="w3-
input-mod-inline" runat="server" ></asp:TextBox></div>
```

```
<div class="w3-col m12 "><label class="noBold" style="display:inline-block; width:
300px;">Location of First Aid</label><asp:TextBox ID="ees_LocationofFirstAid" CssClass="w3-input-
mod-inline" runat="server" ></asp:TextBox></div>
```

```
<div class="w3-col m12 "><label class="noBold" style="display:inline-block; width:
300px;">Emergency Alarm System</label><asp:TextBox ID="ees_EmergencyAlarmSystem"
CssClass="w3-input-mod-inline" runat="server" ></asp:TextBox></div>
```

```
<div class="w3-col m12 "><label class="noBold" style="display:inline-block; width:
300px;">Location of Nearest Medical Facility</label><asp:TextBox
ID="ees_LocationofNearestMedicalFacility" CssClass="w3-input-mod-inline" runat="server"
style="display:inline-block;"></asp:TextBox></div>
```

```
<div class="w3-col m12 "><label class="noBold" style="display:inline-block; width:
300px;">Emergency Phone</label><asp:TextBox ID="ees_EmergencyPhone" CssClass="w3-input-mod-
inline" runat="server" ></asp:TextBox></div>
```

```
</div>
```

```
<div class="w3-col m12">
```

```
<div class="w3-col m12" style="overflow-x:auto;font-weight:bold; text-align:left; border-
bottom: 1px solid #cecbcb; margin-bottom: 10px;margin-top: 20px;"><span >Others</span></div>
```

```
<div class="w3-col m12"><label class="noBold" style="display:inline-block; width:
300px;">Control Measures Other</label><asp:TextBox ID="ees_ControlMeasuresOther" CssClass="w3-
input-mod-inline" style="display:inline-block;" runat="server"></asp:TextBox></div>
```

```
<div class="w3-col m12 "><label class="noBold" style="display:inline-block; width:
300px;">JSA Other</label><asp:TextBox ID="ees_JSAOther" CssClass="w3-input-mod-inline"
runat="server"></asp:TextBox></div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- Risk Rating -->
```

```
<div id="RiskRating" class="w3-container city" style="display:none;">
```

```
<!-- <h2>Risk Rating</h2> -->
```

```
<div class="w3-col m1 "><br></img></div>
```

```
<br />
```

```
<div class="w3-col m12">
```

```
<br />
```

```
<hr />
```

```
<div class="w3-col m12">
```

```
<asp:GridView ID="riskRatingGV" runat="server" AutoGenerateColumns="False"
CssClass="w3-table-all w3-tiny" OnRowDataBound="riskRatingGV_RowDataBound">
```

```
<Columns>
```

```
<asp:TemplateField HeaderText="ID"><ItemTemplate><asp:TextBox
ID="ees_siteinspectionriskratingId" runat="server" ClientIDMode="Static" Text='<%#
Bind("ees_siteinspectionriskratingId") %>'
CssClass="cell_input"></asp:TextBox></ItemTemplate></asp:TemplateField>
```

```
<asp:TemplateField HeaderText="#" HeaderStyle-Width="25px"
><ItemTemplate><asp:TextBox ID="ees_DisplayOrder" runat="server" ClientIDMode="Static" Text='<#
```

```

Bind("ees_DisplayOrder") %>' CssClass="cell_input no-tab"
ReadOnly="true"></asp:TextBox></ItemTemplate></asp:TemplateField>

    <asp:TemplateField HeaderText="Task" HeaderStyle-Width="150px"
><ItemTemplate><asp:TextBox ID="ees_name" runat="server" ClientIDMode="Static" Text='<%#
Bind("ees_name") %>' TextMode="MultiLine" Rows="3" CssClass="cell_input_lg no-tab"
ReadOnly="true"></asp:TextBox></ItemTemplate></asp:TemplateField>

    <asp:TemplateField HeaderText="HAZARD" HeaderStyle-Width="250px"
><ItemTemplate><asp:TextBox ID="ees_HARARDS" runat="server" ClientIDMode="Static" Text='<%#
Bind("ees_HARARDS") %>' TextMode="MultiLine" Rows="3" CssClass="cell_input_lg no-tab"
ReadOnly="true"></asp:TextBox></ItemTemplate></asp:TemplateField>

    <asp:TemplateField HeaderText="Risk Rating" HeaderStyle-Width="30px"
><ItemTemplate><asp:TextBox ID="ees_RISKRATING" runat="server" ClientIDMode="Static" Text='<%#
Bind("ees_RISKRATING") %>' CssClass="cell_input"
></asp:TextBox></ItemTemplate></asp:TemplateField>

    <asp:TemplateField HeaderText="Risk Control Measures?" HeaderStyle-Width="50%"
><ItemTemplate><asp:TextBox ID="ees_RISKCONTROLMEASURES" runat="server"
ClientIDMode="Static" Text='<%# Bind("ees_RISKCONTROLMEASURES") %>' TextMode="MultiLine"
Rows="3" CssClass="cell_input_lg no-tab"
ReadOnly="true"></asp:TextBox></ItemTemplate></asp:TemplateField>

    <asp:TemplateField HeaderText="WHO IS RESPONSIBLE?" HeaderStyle-
Width="150px" ><ItemTemplate><asp:TextBox ID="ees_WHOISRESPONSIBLE" runat="server"
ClientIDMode="Static" Text='<%# Bind("ees_WHOISRESPONSIBLE") %>' TextMode="MultiLine"
Rows="3" CssClass="cell_input_lg no-tab"
ReadOnly="true"></asp:TextBox></ItemTemplate></asp:TemplateField>

    </Columns>

</asp:GridView>

</div>

</div>

</div>

<!-- Seat Size -->

<div id="SeatSize" class="w3-container city" style="display:none">

    <!-- <h2>Seat Size</h2> -->

```

```
<div class="w3-col m3"><br><label class="noBold">Packer TID</label><asp:TextBox
ID="ees_Packer_TID" CssClass="w3-input-mod" runat="server"></asp:TextBox></div>
```

```
<div class="w3-col m12" style="margin-top:12px">
```

```
<ajaxToolkit:Accordion
```

```
ID="MyAccordion"
```

```
runat="Server"
```

```
SelectedIndex="0"
```

```
HeaderCssClass="accordionHeader"
```

```
HeaderSelectedCssClass="accordionHeaderSelected"
```

```
ContentCssClass="accordionContent"
```

```
AutoSize="None"
```

```
FadeTransitions="true"
```

```
TransitionDuration="250"
```

```
FramesPerSecond="40"
```

```
RequireOpenedPane="false"
```

```
SuppressHeaderPostbacks="true">
```

```
<Panes>
```

```
<ajaxToolkit:AccordionPane runat="server" HeaderCssClass="accordionHeader"
HeaderSelectedCssClass="accordionHeaderSelected" ContentCssClass="accordionContent">
```

```
<Header>Fifty-Four Stage Seat Size</Header>
```

```
<Content>
```

```
<div class="w3-col m2 " style="display: inline-block; white-space:
nowrap;"><asp:CheckBox ID="ees_3640_54_checkbox" runat="server" Text="3.640"
style="display:inline-block; width:60px" /><asp:TextBox ID="ees_3640_54_text" CssClass="w3-input-
mod" runat="server" style="display:inline-block; width:60%; margin-left:10px"></asp:TextBox></div>
```

```
<div class="w3-col m2 " style="display: inline-block; white-space:
nowrap;"><asp:CheckBox ID="ees_3560_54_checkbox" runat="server" Text="3.560"
style="display:inline-block; width:60px" /><asp:TextBox ID="ees_3560_54_text" CssClass="w3-input-
mod" runat="server" style="display:inline-block; width:60%; margin-left:10px"></asp:TextBox></div>
```

```
<div class="w3-col m2 " style="display: inline-block; white-space:
nowrap;"><asp:CheckBox ID="ees_3480_54_checkbox" runat="server" Text="3.480"
style="display:inline-block; width:60px" /><asp:TextBox ID="ees_3480_54_text" CssClass="w3-input-
mod" runat="server" style="display:inline-block; width:60%; margin-left:10px"></asp:TextBox></div>
```

```
<div class="w3-col m2 " style="display: inline-block; white-space: nowrap;"><asp:CheckBox ID="ees_3400_54_checkbox" runat="server" Text="3.400" style="display:inline-block; width:60px" /><asp:TextBox ID="ees_3400_54_text" CssClass="w3-input-mod" runat="server" style="display:inline-block; width:60%; margin-left:10px"></asp:TextBox></div>
```

```
<div class="w3-col m2 " style="display: inline-block; white-space: nowrap;"><asp:CheckBox ID="ees_3320_54_checkbox" runat="server" Text="3.320" style="display:inline-block; width:60px" /><asp:TextBox ID="ees_3320_54_text" CssClass="w3-input-mod" runat="server" style="display:inline-block; width:60%; margin-left:10px"></asp:TextBox></div>
```

```
<div class="w3-col m2 " style="display: inline-block; white-space: nowrap;"><asp:CheckBox ID="ees_3260_54_checkbox" runat="server" Text="3.260" style="display:inline-block; width:60px" /><asp:TextBox ID="ees_3260_54_text" CssClass="w3-input-mod" runat="server" style="display:inline-block; width:60%; margin-left:10px"></asp:TextBox></div>
```

```
<div class="w3-col m2 " style="display: inline-block; white-space: nowrap;"><asp:CheckBox ID="ees_3200_54_checkbox" runat="server" Text="3.200" style="display:inline-block; width:60px" /><asp:TextBox ID="ees_3200_54_text" CssClass="w3-input-mod" runat="server" style="display:inline-block; width:60%; margin-left:10px"></asp:TextBox></div>
```

```
</Content>
```

```
</ajaxToolkit:AccordionPane>
```

```
<ajaxToolkit:AccordionPane runat="server" HeaderCssClass="accordionHeader" HeaderSelectedCssClass="accordionHeaderSelected" ContentCssClass="accordionContent">
```

```
<Header>Eighty-Nine Stage Seat Size</Header>
```

```
<Content>
```

```
<div class="w3-col m2 " style="display: inline-block; white-space: nowrap;"><asp:CheckBox ID="ees_1052_89_checkbox" runat="server" Text="1.052" style="display:inline-block; width:60px" /><asp:TextBox ID="ees_1052_89_text" CssClass="w3-input-mod" runat="server" style="display:inline-block; width:60%; margin-left:10px"></asp:TextBox></div>
```

```
<div class="w3-col m2 " style="display: inline-block; white-space: nowrap;"><asp:CheckBox ID="ees_1077_89_checkbox" runat="server" Text="1.077" style="display:inline-block; width:60px" /><asp:TextBox ID="ees_1077_89_text" CssClass="w3-input-mod" runat="server" style="display:inline-block; width:60%; margin-left:10px"></asp:TextBox></div>
```

```
<div class="w3-col m2 " style="display: inline-block; white-space: nowrap;"><asp:CheckBox ID="ees_1102_89_checkbox" runat="server" Text="1.102" style="display:inline-block; width:60px" /><asp:TextBox ID="ees_1102_89_text" CssClass="w3-input-mod" runat="server" style="display:inline-block; width:60%; margin-left:10px"></asp:TextBox></div>
```

```
<div class="w3-col m2 " style="display: inline-block; white-space: nowrap;"><asp:CheckBox ID="ees_1127_89_checkbox" runat="server" Text="1.127"
```

```
style="display:inline-block; width:60px" /><asp:TextBox ID="ees_1127_89_text" CssClass="w3-input-mod" runat="server" style="display:inline-block; width:60%; margin-left:10px"></asp:TextBox></div>
```

```
    <div class="w3-col m2 " style="display: inline-block; white-space: nowrap;"><asp:CheckBox ID="ees_1152_89_checkbox" runat="server" Text="1.152" style="display:inline-block; width:60px" /><asp:TextBox ID="ees_1152_89_text" CssClass="w3-input-mod" runat="server" style="display:inline-block; width:60%; margin-left:10px"></asp:TextBox></div>
```

```
    <div class="w3-col m2 " style="display: inline-block; white-space: nowrap;"><asp:CheckBox ID="ees_1177_89_checkbox" runat="server" Text="1.177" style="display:inline-block; width:60px" /><asp:TextBox ID="ees_1177_89_text" CssClass="w3-input-mod" runat="server" style="display:inline-block; width:60%; margin-left:10px"></asp:TextBox></div>
```

```
    <div class="w3-col m2 " style="display: inline-block; white-space: nowrap;"><asp:CheckBox ID="ees_1202_89_checkbox" runat="server" Text="1.202" style="display:inline-block; width:60px" /><asp:TextBox ID="ees_1202_89_text" CssClass="w3-input-mod" runat="server" style="display:inline-block; width:60%; margin-left:10px"></asp:TextBox></div>
```

```
    </Content>
```

```
  </ajaxToolkit:AccordionPane>
```

```
</Panes>
```

```
</ajaxToolkit:Accordion>
```

```
</div>
```

```
</div>
```

```
<ajaxToolkit:ModalPopupExtender ID="MPE" runat="server"
```

```
  TargetControlID="uploadButtonPanel"
```

```
  PopupControlID="uploadFilePanel"
```

```
  BackgroundCssClass="modalBackground"
```

```
  DropShadow="true"
```

```
  OkControlID="FileUploadCloseButton"
```

```
  OnOkScript="onOk()" />
```

```
</ContentTemplate>
```

```
<Triggers>
```

```
  <asp:PostBackTrigger ControlID="fileAttachmentGV" />
```

```
</Triggers>
</asp:UpdatePanel>
```

```
<asp:Panel ID="uploadFilePanel" runat="server" CssClass="upload-file-panel">
    <asp:FileUpload ID="FileUpload1" runat="server" />
    <asp:Button ID="uploadB" runat="server" Text="Upload" OnClick="uploadB_Click" />
    <hr />
    <asp:Label ID="fileNameLabel" ForeColor="Green" runat="server" />
    <asp:Button ID="FileUploadCloseButton" runat="server" Text="Close" />
</asp:Panel>
```

```
<script>
    /*
    $("textarea").resizable({
        handles: "se"
    });
    */
```

Sys.Application.add_load(LoadHandler); //This load handler solved update panel did not bind control after partial postback

```
function LoadHandler() {
    $(document).ready(function () {
        //rebind any events here for controls under update panel // text box select all on focus
        $("input:text").focus(function () { $(this).select(); });

        // Date Time control
        $(".JQ_Date").datetimepicker({
            format: 'Y-m-d',
```

```

        timepicker: false
    });

    $(".JQ_Date_Time").datetimepicker({
        format: 'Y-m-d H:i:00',
        step: 15
    });
});

}

$(document).ready(function () {
    // text box select all on focus
    $("input:text").focus(function () { $(this).select(); });

    // Date Time control
    $(".JQ_Date").datetimepicker({
        format: 'Y-m-d',
        timepicker: false
    });

    $(".JQ_Date_Time").datetimepicker({
        format: 'Y-m-d H:i:00',
        step: 15
    });
});

// Catch the keydown for the entire document
$(document).keydown(function(e) {

```

```

// Set self as the current item in focus
var self = $(':focus'),

// Set the form by the current item in focus
form = self.parents('form:eq(0)'),

focusable;

// Array of Indexable/Tab-able items
focusable = form.find('input,a,select,button,textarea,div[contenteditable=true]').filter(':visible');

function enterKey(){
  if (e.which === 13 && !self.is('textarea,div[contenteditable=true]')) { // [Enter] key

    // If not a regular hyperlink/button/textarea
    if ($.inArray(self, focusable) && (!self.is('a,button'))){
      // Then prevent the default [Enter] key behaviour from submitting the form
      e.preventDefault();
    } // Otherwise follow the link/button as by design, or put new line in textarea

    // Focus on the next item (either previous or next depending on shift)
    focusable.eq(focusable.index(self) + (e.shiftKey ? -1 : 1)).focus();

    return false;
  }
}

// We need to capture the [Shift] key and check the [Enter] key either way.
if (e.shiftKey) { enterKey() } else { enterKey() }

});
</script>

```

</asp:Content>