

設定1

FrmMenu.exe.config(app.config)

```
<?xml version="1.0" encoding="utf-8"?>
<configuration>
  <system.net>
    <connectionManagement>
      <add address = "*" maxconnection = "900"/>
    </connectionManagement>
  </system.net>
  <system.diagnostics>
    <sources>
      <source name="DefaultSource" switchName="DefaultSwitch">
        <listeners>
          <add name="FileLog" />
        </listeners>
      </source>
    </sources>
    <switches>
      <add name="DefaultSwitch" value="Information" />
    </switches>
    <sharedListeners>
      <add name="FileLog"
        type="Microsoft.VisualBasic.Logging.FileLogTraceListener,
        Microsoft.VisualBasic,
        Version=8.0.0.0,
        Culture=neutral,
        PublicKeyToken=b03f5f7f11d50a3a,
        processorArchitecture=MSIL"
        initializeData="FileLogWriter" />
    </sharedListeners>
  </system.diagnostics>
  <startup>
    <supportedRuntime version="v4.0" sku=".NETFramework,Version=v4.8" />
  </startup>
  <system.serviceModel>
    <behaviors>
      <serviceBehaviors>
        <behavior name="ServiceBehavior">
          <serviceThrottling maxConcurrentCalls="600" maxConcurrentSessions="1200"
            maxConcurrentInstances="1000" />
        </behavior>
      </serviceBehaviors>
    </behaviors>
    <bindings>
      <basicHttpBinding>
        <binding
          name="BasicHttpBinding_IService1"
          maxReceivedMessageSize="2147483647"
          maxBufferSize="2147483647"
          maxBufferPoolSize="2147483647"
          sendTimeout="00:10:00"
          receiveTimeout="00:10:00">
          <security mode="Transport">
            <transport clientCredentialType="None" />
          </security>
        </binding>
      </basicHttpBinding>
    </bindings>
    <client>
      <endpoint
        address="https://loadtesting.gohantancs.jp/GTXWcfService/Service.svc"
        binding="basicHttpBinding"
        bindingConfiguration="BasicHttpBinding_IService1"
        contract="ServiceReference1.IService"
        name="BasicHttpBinding_IService1" />
    </client>
  </system.serviceModel>
  <runtime>
    <assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
      <dependentAssembly>
        <assemblyIdentity name="System.Runtime.CompilerServices.Unsafe" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
        <bindingRedirect oldVersion="0.0.0-6.0.0" newVersion="6.0.0" />
      </dependentAssembly>
      <dependentAssembly>
        <assemblyIdentity name="System.Memory" publicKeyToken="cc7b13ffcd2ddd51" culture="neutral" />
        <bindingRedirect oldVersion="0.0.0-4.0.1.2" newVersion="4.0.1.2" />
      </dependentAssembly>
      <dependentAssembly>
        <assemblyIdentity name="System.Buffers" publicKeyToken="cc7b13ffcd2ddd51" culture="neutral" />
        <bindingRedirect oldVersion="0.0.0-4.0.3.0" newVersion="4.0.3.0" />
      </dependentAssembly>
      <dependentAssembly>
        <assemblyIdentity name="System.Threading.Tasks.Extensions" publicKeyToken="cc7b13ffcd2ddd51" culture="neutral" />
        <bindingRedirect oldVersion="0.0.0-4.2.0.1" newVersion="4.2.0.1" />
      </dependentAssembly>
      <dependentAssembly>
        <assemblyIdentity name="System.Threading.Channels" publicKeyToken="cc7b13ffcd2ddd51" culture="neutral" />
        <bindingRedirect oldVersion="0.0.0-7.0.0.0" newVersion="7.0.0.0" />
      </dependentAssembly>
      <dependentAssembly>
        <assemblyIdentity name="Microsoft.Bcl.AsyncInterfaces" publicKeyToken="cc7b13ffcd2ddd51" culture="neutral" />
        <bindingRedirect oldVersion="0.0.0-7.0.0.0" newVersion="7.0.0.0" />
      </dependentAssembly>
      <dependentAssembly>
        <assemblyIdentity name="System.Text.Json" publicKeyToken="cc7b13ffcd2ddd51" culture="neutral" />
        <bindingRedirect oldVersion="0.0.0-7.0.0.0" newVersion="7.0.0.0" />
      </dependentAssembly>
    </assemblyBinding>
  </runtime>
```

A

B

web.config

```
<?xml version="1.0" encoding="utf-8"?>
<configuration>
  <!--
    <system.diagnostics>
      <sources>
        <source name="System.ServiceModel.MessageLogging">
          <listeners>
            <add name="messages"
              type="System.Diagnostics.XmlWriterTraceListener"
              initializeData="c:\Logs\messages.svclog" />
          </listeners>
        </source>
      </sources>
    </system.diagnostics>
  -->
  <system.net>
    <connectionManagement>
      <add address = "*" maxconnection = "384"/>
    </connectionManagement>
  </system.net>
  <system.serviceModel>
  <!--
    <diagnostics performanceCounters="All" wmiProviderEnabled="True">
      <messageLogging logEntireMessage="True"
        logMalformedMessages="True"
        logMessagesAtServiceLevel="True"
        logMessagesAtTransportLevel="True" />
    </diagnostics>
    <diagnostics performanceCounters="All">
      <messageLogging
        logEntireMessage="true"
        logMalformedMessages="false"
        logMessagesAtServiceLevel="true"
        logMessagesAtTransportLevel="false"
        maxMessagesToLog="3000"
        maxSizeOfMessageToLog="2000" />
    </diagnostics>
  -->
    <serviceHostingEnvironment aspNetCompatibilityEnabled="true"
      multipleSiteBindingsEnabled="true" />
    <services>
      <service behaviorConfiguration="ServiceBehavior" name="GTXWcfService.Service">
        <endpoint address="" binding="basicHttpBinding" contract="GTXWcfService.IService">
          <identity>
            <dns value="localhost" />
          </identity>
        </endpoint>
        <endpoint address="mex" binding="mexHttpBinding" contract="IMetadataExchange" />
      </service>
    </services>
    <behaviors>
      <serviceBehaviors>
        <behavior name="ServiceBehavior">
          <serviceThrottling maxConcurrentCalls="600" maxConcurrentSessions="1200"
            maxConcurrentInstances="3000" />
          <serviceMetadata httpGetEnabled="true" />
          <serviceDebug includeExceptionDetailInFaults="false" />
        </behavior>
        <behavior name="">
          <serviceMetadata httpGetEnabled="true" httpsGetEnabled="true" />
          <serviceDebug includeExceptionDetailInFaults="false" />
        </behavior>
      </serviceBehaviors>
    </behaviors>
    <bindings>
      <basicHttpBinding>
        <binding maxReceivedMessageSize="2147483647"
          maxBufferSize="2147483647"
          maxBufferPoolSize="2147483647"
          sendTimeout="00:10:00"
          receiveTimeout="00:10:00">
        </binding>
      </basicHttpBinding>
    </bindings>
  </system.serviceModel>
  <system.web>
    <compilation debug="true" strict="false" explicit="true" targetFramework="4.8" />
    <httpRuntime targetFramework="4.8" maxRequestLength="153600" executionTimeout="600" />
    <customErrors mode="Off" />
  </system.web>
  <system.webServer>
    <security>
      <requestFiltering>
        <requestLimits maxAllowedContentLength="1073741824" />
      </requestFiltering>
    </security>
  </system.webServer>
  <runtime>
    <assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
      <dependentAssembly>
        <assemblyIdentity name="System.Runtime.CompilerServices.Unsafe" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
        <bindingRedirect oldVersion="0.0.0-6.0.0" newVersion="6.0.0" />
      </dependentAssembly>
      <dependentAssembly>
        <assemblyIdentity name="System.Memory" publicKeyToken="cc7b13ffcd2ddd51" culture="neutral" />
        <bindingRedirect oldVersion="0.0.0-4.0.1.2" newVersion="4.0.1.2" />
      </dependentAssembly>
```

C

D

Service.svc(Service.svc.vb)

```
<System.ServiceModel.ServiceBehavior (ConcurrencyMode:=ConcurrencyMode.Single,
InstanceContextMode:=InstanceContextMode.PerSession,
UseSynchronizationContext:=False)>
```

E

</configuration>

```
<dependentAssembly>
  <assemblyIdentity name="System. Buffers" publicKeyToken="cc7b13ffcd2ddd51" culture="neutral" />
  <bindingRedirect oldVersion="0. 0. 0. 0-4. 0. 3. 0" newVersion="4. 0. 3. 0" />
</dependentAssembly>
<dependentAssembly>
  <assemblyIdentity name="System. Threading. Tasks. Extensions" publicKeyToken="cc7b13ffcd2ddd51" culture="neutral" />
  <bindingRedirect oldVersion="0. 0. 0. 0-4. 2. 0. 1" newVersion="4. 2. 0. 1" />
</dependentAssembly>
<dependentAssembly>
  <assemblyIdentity name="System. Threading. Channels" publicKeyToken="cc7b13ffcd2ddd51" culture="neutral" />
  <bindingRedirect oldVersion="0. 0. 0. 0-7. 0. 0. 0" newVersion="7. 0. 0. 0" />
</dependentAssembly>
<dependentAssembly>
  <assemblyIdentity name="Microsoft. Bcl. AsyncInterfaces" publicKeyToken="cc7b13ffcd2ddd51" culture="neutral" />
  <bindingRedirect oldVersion="0. 0. 0. 0-7. 0. 0. 0" newVersion="7. 0. 0. 0" />
</dependentAssembly>
<dependentAssembly>
  <assemblyIdentity name="System. Text. Json" publicKeyToken="cc7b13ffcd2ddd51" culture="neutral" />
  <bindingRedirect oldVersion="0. 0. 0. 0-7. 0. 0. 0" newVersion="7. 0. 0. 0" />
</dependentAssembly>
</assemblyBinding>
</runtime>
</configuration>
```