



## 2<sup>nd</sup> Step:

**Initialize variable**

\*Name: Pipeline

\*Type: String

Value:

```

<hr/>
"dataFactoryName":<b>dataFactoryName x</b></b><br/>
"pipelineName":<b>pipelineName x</b></b><br/>
"pipelineRunId":<b>pipelineRunId x</b></b><br/>
"Time":<b>Time x</b></b><br/>
Information:<b>message x</b></b><br/>
<hr/>

```

## 3<sup>rd</sup> Step:

**Lists blobs (V2)**

\*Storage account name or blob endpoint: Use connection settings(a52039westus)

\*Folder: /test

Paging Marker: message x

Flat Listing: No

Connected to a52039westus. [Change connection.](#)

## 4<sup>th</sup> step

**For each 2**

\*Select an output from previous steps: value x


Condition:

- And
  - value x is equal to PL\_ML\_MASTER.xlsx

+ Add


5<sup>th</sup> step:

✓ True

 Get blob content (V2) ...

\* Storage account name or blob endpoint


\* Blob 

 IsFolder x

Infer content type


Connected to a52039westus. [Change connection.](#)




 Send an email (V2) ...


\* Body 

Font 12 B I U



 Pipeline x

\* Subject 

 message x

\* To 

