

Battery report

COMPUTER NAME	THE-GOSPEL
SYSTEM PRODUCT NAME	Dell Inc. Precision 3470
BIOS	1.36.0 11/26/2025
OS BUILD	26100.1.amd64fre.ge_release.240331-1435
PLATFORM ROLE	Mobile
CONNECTED STANDBY	Supported
REPORT TIME	2026-02-08 04:47:48

Installed batteries

Information about each currently installed battery

	BATTERY 1
NAME	DELL VXD5725
MANUFACTURER	LG
SERIAL NUMBER	8052
CHEMISTRY	LiP
DESIGN CAPACITY	64,007 mWh
FULL CHARGE CAPACITY	51,558 mWh
CYCLE COUNT	-

Recent usage

Power states over the last 7 days

START TIME	STATE	SOURCE	CAPACITY REMAINING
2026-02-02 08:49:03	Connected standby	Battery	99 % 48,290 mWh
08:49:38	Active	Battery	99 % 48,123 mWh
08:59:00	Connected standby	Battery	97 % 47,196 mWh
08:59:01	Suspended		97 % 47,196 mWh
09:41:24	Connected standby	Battery	96 % 46,907 mWh
09:41:59	Active	Battery	96 % 46,725 mWh
09:41:59	Connected standby	Battery	96 % 46,725 mWh
09:41:59	Active	Battery	96 % 46,725 mWh
10:01:00	Suspended		91 % 44,551 mWh
10:02:51	Active	Battery	90 % 43,974 mWh
10:15:00	Suspended		84 % 41,010 mWh
10:16:16	Active	Battery	83 % 40,569 mWh
10:19:16	Suspended		81 % 39,748 mWh
10:20:59	Active	Battery	80 % 39,262 mWh
10:34:00	Suspended		77 % 37,483 mWh
10:34:42	Active	Battery	76 % 37,012 mWh

	START TIME	STATE	SOURCE	CAPACITY REMAINING
	10:53:00	Suspended		70 % 34,352 mWh
	10:53:50	Active	Battery	70 % 33,942 mWh
	11:02:24	Suspended		66 % 32,422 mWh
	11:02:58	Active	Battery	66 % 32,148 mWh
	11:16:52	Connected standby	Battery	54 % 26,220 mWh
	11:18:52	Suspended		52 % 25,460 mWh
	11:19:27	Connected standby	Battery	52 % 25,202 mWh
	11:20:02	Active	Battery	51 % 24,913 mWh
	11:21:56	Connected standby	Battery	49 % 24,138 mWh
	11:22:55	Active	Battery	49 % 23,773 mWh
	11:29:52	Connected standby	Battery	43 % 20,778 mWh
	11:29:52	Suspended		43 % 20,778 mWh
	12:53:28	Connected standby	Battery	42 % 20,383 mWh
	12:54:03	Active	Battery	42 % 20,277 mWh
	12:58:34	Connected standby	Battery	40 % 19,669 mWh
	12:58:35	Suspended		40 % 19,669 mWh
2026-02-03	19:24:46	Connected standby	Battery	39 % 19,213 mWh
	19:25:22	Active	Battery	39 % 18,970 mWh
	19:41:02	Connected standby	Battery	36 % 17,419 mWh
	19:50:57	Active	Battery	35 % 17,176 mWh
	20:13:16	Connected standby	Battery	4 % 1,915 mWh
	20:13:16	Suspended		4 % 1,915 mWh
	21:01:44	Connected standby	Battery	4 % 1,778 mWh
	21:01:44	Suspended		4 % 1,778 mWh
	21:02:23	Connected standby	AC	5 % 2,250 mWh
	21:02:58	Active	AC	6 % 2,630 mWh
	22:11:43	Connected standby	AC	63 % 30,050 mWh
	22:11:43	Suspended		63 % 30,050 mWh
2026-02-04	09:56:01	Connected standby	AC	62 % 29,686 mWh
	09:56:36	Active	AC	62 % 29,412 mWh
	09:56:36	Active	Battery	62 % 29,412 mWh
	10:20:29	Active	AC	29 % 13,878 mWh
	10:21:06	Active	Battery	29 % 13,771 mWh
	10:21:09	Active	AC	29 % 13,741 mWh
	10:21:10	Active	Battery	29 % 13,726 mWh
	10:21:12	Active	AC	29 % 13,710 mWh
	10:37:59	Active	Battery	42 % 20,186 mWh
	10:38:02	Active	AC	42 % 20,155 mWh
	11:36:44	Connected standby	AC	90 % 42,758 mWh
	11:38:45	Active	AC	92 % 43,548 mWh
	12:26:54	Connected standby	AC	100 % 47,546 mWh
	12:26:55	Connected standby	Battery	100 % 47,546 mWh
	12:29:48	Connected standby	AC	100 % 47,546 mWh
	12:29:48	Active	AC	100 % 47,546 mWh
	12:29:54	Connected standby	AC	100 % 47,546 mWh
	12:30:35	Active	AC	100 % 47,546 mWh
	12:30:37	Connected standby	AC	100 % 47,546 mWh
	12:30:45	Active	AC	100 % 47,546 mWh
	13:00:11	Active	Battery	100 % 47,546 mWh

	START TIME	STATE	SOURCE	CAPACITY REMAINING
	13:01:21	Active	AC	98 % 46,725 mWh
	13:17:35	Connected standby	AC	100 % 47,546 mWh
	13:17:36	Active	AC	100 % 47,546 mWh
	13:20:03	Active	Battery	98 % 46,725 mWh
	13:20:09	Active	AC	98 % 46,710 mWh
	13:20:13	Active	Battery	98 % 46,710 mWh
	13:20:17	Active	AC	98 % 46,710 mWh
	13:21:09	Active	Battery	98 % 46,710 mWh
	13:22:27	Connected standby	Battery	98 % 46,573 mWh
	13:22:29	Active	Battery	98 % 46,573 mWh
	13:22:37	Active	AC	98 % 46,542 mWh
	13:22:42	Active	Battery	98 % 46,542 mWh
	13:26:39	Connected standby	Battery	97 % 46,132 mWh
	13:46:45	Active	Battery	96 % 45,524 mWh
	13:47:45	Active	AC	95 % 45,311 mWh
	15:10:25	Active	Battery	95 % 45,311 mWh
	15:10:32	Active	AC	95 % 45,281 mWh
	15:10:38	Active	Battery	95 % 45,281 mWh
	15:10:44	Active	AC	95 % 45,266 mWh
	15:10:48	Active	Battery	95 % 45,266 mWh
	15:10:52	Active	AC	95 % 45,250 mWh
	15:15:25	Connected standby	AC	100 % 47,546 mWh
	16:06:55	Connected standby	Battery	95 % 45,250 mWh
	16:08:13	Active	Battery	95 % 45,129 mWh
	16:08:58	Connected standby	Battery	95 % 44,977 mWh
	16:22:21	Suspended		92 % 43,806 mWh
	20:55:32	Connected standby	Battery	91 % 43,411 mWh
	20:56:07	Active	Battery	91 % 43,305 mWh
	20:56:07	Connected standby	Battery	91 % 43,305 mWh
	20:56:07	Suspended		91 % 43,305 mWh
	20:56:42	Connected standby	Battery	91 % 43,122 mWh
	20:57:17	Active	Battery	91 % 43,214 mWh
	20:57:17	Connected standby	Battery	91 % 43,214 mWh
	20:57:17	Active	Battery	91 % 43,214 mWh
	20:57:17	Active	AC	91 % 43,214 mWh
	21:05:11	Connected standby	AC	95 % 45,311 mWh
	21:09:49	Active	AC	97 % 46,117 mWh
	21:51:04	Connected standby	AC	100 % 47,546 mWh
	21:51:06	Suspended		100 % 47,546 mWh
2026-02-05	09:31:00	Connected standby	Battery	99 % 47,074 mWh
	09:31:35	Active	Battery	98 % 46,755 mWh
	10:02:21	Connected standby	Battery	80 % 38,076 mWh
	10:08:14	Suspended		78 % 37,210 mWh
	10:08:49	Connected standby	Battery	78 % 37,088 mWh
	10:09:24	Active	Battery	78 % 36,951 mWh
	10:18:27	Connected standby	Battery	73 % 34,671 mWh
	10:19:26	Active	Battery	72 % 34,443 mWh
	11:07:46	Active	AC	34 % 16,112 mWh
	12:25:35	Connected standby	AC	100 % 47,546 mWh


	START TIME	STATE	SOURCE	CAPACITY REMAINING
	12:25:35	Suspended		100 % 47,546 mWh
	15:27:27	Connected standby	AC	100 % 47,546 mWh
	15:28:02	Active	AC	100 % 47,546 mWh
	15:28:02	Active	Battery	100 % 47,546 mWh
	15:28:02	Active	AC	100 % 47,546 mWh
	15:29:11	Active	Battery	99 % 47,287 mWh
	15:29:13	Active	AC	99 % 47,272 mWh
	16:23:31	Active	Battery	99 % 47,272 mWh
	16:41:54	Active	AC	75 % 35,750 mWh
	17:06:36	Connected standby	AC	94 % 44,718 mWh
	17:13:56	Active	AC	97 % 46,147 mWh
	17:14:11	Active	Battery	97 % 46,178 mWh
	17:15:13	Suspended		96 % 45,813 mWh
2026-02-06	10:38:28	Connected standby	Battery	95 % 45,372 mWh
	10:39:03	Active	Battery	95 % 45,220 mWh
	10:43:45	Connected standby	Battery	94 % 44,642 mWh
	10:43:49	Active	Battery	94 % 44,642 mWh
	10:46:54	Connected standby	Battery	93 % 44,369 mWh
	10:47:34	Active	Battery	93 % 44,338 mWh
	10:51:01	Battery changed	Battery	- -
	10:51:01	Active	Battery	- -
	10:51:02	Active	AC	- -
	10:51:07	Battery changed	AC	92 % 43,928 mWh
	10:51:07	Active	AC	92 % 43,928 mWh
	10:51:08	Active	Battery	92 % 43,928 mWh
	10:51:24	Battery changed	Battery	- -
	10:51:24	Active	Battery	- -
	10:51:24	Suspended		- -
	10:52:54	Battery changed	Battery	91 % 43,396 mWh
	10:52:54	Active	Battery	91 % 43,396 mWh
	10:53:30	Connected standby	Battery	91 % 43,153 mWh
	10:54:00	Active	Battery	91 % 43,122 mWh
	10:57:32	Connected standby	Battery	90 % 42,560 mWh
	11:38:21	Suspended		88 % 41,694 mWh
	11:38:56	Connected standby	Battery	87 % 41,557 mWh
	11:39:31	Active	Battery	87 % 41,481 mWh
	11:40:25	Active	AC	87 % 41,359 mWh
	12:02:23	Active	Battery	98 % 46,786 mWh
	12:02:24	Connected standby	Battery	98 % 46,786 mWh
	12:12:17	Active	Battery	98 % 46,542 mWh
	12:27:30	Connected standby	Battery	95 % 44,946 mWh
	12:48:07	Active	Battery	94 % 44,506 mWh
	13:36:39	Active	AC	84 % 39,961 mWh
	14:52:22	Active	Battery	100 % 47,546 mWh
	16:40:57	Connected standby	Battery	74 % 35,416 mWh
	20:16:42	Active	Battery	60 % 28,515 mWh
	20:29:06	Connected standby	Battery	57 % 27,238 mWh
	20:29:06	Suspended		57 % 27,238 mWh
2026-02-07	20:12:37	Connected standby	Battery	56 % 26,722 mWh

	START TIME	STATE	SOURCE		CAPACITY REMAINING
	20:13:12	Active	Battery	55 %	26,372 mWh
	20:43:01	Connected standby	Battery	47 %	22,344 mWh
	20:43:30	Active	Battery	47 %	22,329 mWh
	20:55:14	Connected standby	Battery	43 %	20,672 mWh
	20:56:19	Active	Battery	43 %	20,581 mWh
	21:17:43	Connected standby	Battery	35 %	16,690 mWh
	21:17:46	Suspended		35 %	16,674 mWh
	21:19:36	Active	Battery	34 %	16,082 mWh
	21:20:12	Connected standby	Battery	33 %	15,778 mWh
	21:21:21	Active	Battery	33 %	15,610 mWh
	21:24:51	Connected standby	Battery	31 %	14,729 mWh
	21:24:51	Active	Battery	31 %	14,729 mWh
	21:37:21	Connected standby	Battery	26 %	12,342 mWh
	21:38:50	Active	Battery	25 %	12,069 mWh
	21:39:57	Connected standby	Battery	25 %	11,856 mWh
	21:39:58	Active	Battery	25 %	11,856 mWh
	21:54:36	Suspended		19 %	9,242 mWh
	21:55:42	Active	Battery	19 %	8,816 mWh
	22:00:11	Connected standby	Battery	16 %	7,402 mWh
	22:00:14	Active	Battery	16 %	7,372 mWh
	22:04:01	Connected standby	Battery	14 %	6,521 mWh
	22:04:06	Active	Battery	14 %	6,490 mWh
	22:11:18	Connected standby	Battery	11 %	5,366 mWh
	22:11:24	Active	Battery	11 %	5,366 mWh
	22:29:35	Connected standby	Battery	7 %	3,329 mWh
	22:30:50	Active	Battery	7 %	3,329 mWh
	22:33:02	Connected standby	Battery	7 %	3,329 mWh
	22:33:10	Active	Battery	7 %	3,329 mWh
	22:35:33	Connected standby	Battery	7 %	3,329 mWh
	22:36:58	Active	Battery	7 %	3,329 mWh
	22:38:03	Connected standby	Battery	7 %	3,329 mWh
	22:38:56	Active	Battery	7 %	3,329 mWh
	22:43:53	Connected standby	Battery	7 %	3,329 mWh
	22:44:01	Active	Battery	7 %	3,329 mWh
	22:45:04	Connected standby	Battery	7 %	3,329 mWh
	22:45:11	Suspended		7 %	3,329 mWh
	22:48:48	Active	Battery	7 %	3,314 mWh
	22:49:41	Connected standby	Battery	3 %	1,550 mWh
	22:49:41	Suspended		3 %	1,550 mWh
	22:50:28	Connected standby	Battery	3 %	1,353 mWh
	22:50:28	Suspended		3 %	1,353 mWh
2026-02-08	03:22:04	Connected standby	Battery	100 %	51,558 mWh
	03:22:39	Active	Battery	99 %	51,133 mWh
	03:22:39	Connected standby	Battery	99 %	51,133 mWh
	03:22:39	Suspended		99 %	51,133 mWh
	03:23:14	Connected standby	Battery	99 %	50,996 mWh
	03:23:49	Active	Battery	99 %	50,966 mWh
	03:23:49	Connected standby	Battery	99 %	50,966 mWh
	03:36:34	Active	Battery	98 %	50,692 mWh

START TIME	STATE	SOURCE	CAPACITY REMAINING	
03:38:15	Connected standby	Battery	98 %	50,449 mWh
04:01:55	Active	Battery	97 %	49,962 mWh
04:03:06	Connected standby	Battery	97 %	49,856 mWh
04:08:25	Active	Battery	96 %	49,719 mWh
04:09:25	Connected standby	Battery	96 %	49,613 mWh
04:39:26	Suspended		95 %	49,020 mWh
04:40:01	Connected standby	Battery	95 %	48,944 mWh
04:40:36	Active	Battery	95 %	48,929 mWh
04:40:36	Connected standby	Battery	95 %	48,929 mWh
04:44:49	Active	Battery	95 %	48,822 mWh
04:47:48	Report generated	Battery	94 %	48,655 mWh

Battery usage

Battery drains over the last 7 days



START TIME	STATE	DURATION	ENERGY DRAINED	
2026-02-02 08:49:03	Connected standby	0:00:35	-	167 mWh
08:49:38	Active	0:09:22	2 %	927 mWh
08:59:00	Connected standby	0:00:00	-	-
09:41:24	Connected standby	0:00:35	-	182 mWh
09:41:59	Active	0:00:00	-	-
09:41:59	Connected standby	0:00:00	-	-
09:41:59	Active	0:19:00	4 %	2,174 mWh
10:02:51	Active	0:12:08	6 %	2,964 mWh
10:16:16	Active	0:03:00	2 %	821 mWh
10:20:59	Active	0:13:00	4 %	1,779 mWh
10:34:42	Active	0:18:17	5 %	2,660 mWh
10:53:50	Active	0:08:34	3 %	1,520 mWh
11:02:58	Active	0:13:54	12 %	5,928 mWh

	START TIME	STATE	DURATION		ENERGY DRAINED
	11:16:52	Connected standby	0:01:59	2 %	760 mWh
	11:19:27	Connected standby	0:00:35	1 %	289 mWh
	11:20:02	Active	0:01:53	2 %	775 mWh
	11:21:56	Connected standby	0:00:59	1 %	365 mWh
	11:22:55	Active	0:06:56	6 %	2,995 mWh
	11:29:52	Connected standby	0:00:00	-	-
	12:53:28	Connected standby	0:00:35	-	106 mWh
	12:54:03	Active	0:04:31	1 %	608 mWh
	12:58:34	Connected standby	0:00:01	-	-
2026-02-03	19:24:46	Connected standby	0:00:35	-	243 mWh
	19:25:22	Active	0:15:40	3 %	1,551 mWh
	19:41:02	Connected standby	0:09:54	-	243 mWh
	19:50:57	Active	0:22:19	31 %	15,261 mWh
	20:13:16	Connected standby	0:00:00	-	-
	21:01:44	Connected standby	0:00:00	-	-
	09:56:36	Active	0:23:52	33 %	15,534 mWh
	10:21:06	Active	0:00:03	-	30 mWh
	10:21:10	Active	0:00:01	-	16 mWh
	10:37:59	Active	0:00:03	-	31 mWh
	12:26:55	Connected standby	0:02:52	-	-
	13:00:11	Active	0:01:10	2 %	821 mWh
	13:20:03	Active	0:00:06	-	15 mWh
	13:20:13	Active	0:00:03	-	-
	13:21:09	Active	0:01:18	-	137 mWh
	13:22:27	Connected standby	0:00:01	-	-
	13:22:29	Active	0:00:08	-	31 mWh
	13:22:42	Active	0:03:57	1 %	410 mWh
	13:26:39	Connected standby	0:20:05	1 %	608 mWh
	13:46:45	Active	0:00:59	-	213 mWh
	15:10:25	Active	0:00:06	-	30 mWh
	15:10:38	Active	0:00:05	-	15 mWh
	15:10:48	Active	0:00:03	-	16 mWh
	16:06:55	Connected standby	0:01:18	-	121 mWh
	16:08:13	Active	0:00:44	-	152 mWh
	16:08:58	Connected standby	0:13:23	2 %	1,171 mWh
	20:55:32	Connected standby	0:00:35	-	106 mWh
	20:56:07	Active	0:00:00	-	-
	20:56:07	Connected standby	0:00:00	-	-
	20:56:42	Connected standby	0:00:35	-	-92 mWh
	20:57:17	Active	0:00:00	-	-
	20:57:17	Connected standby	0:00:00	-	-
	20:57:17	Active	0:00:00	-	-
2026-02-05	09:31:00	Connected standby	0:00:35	1 %	319 mWh

	START TIME	STATE	DURATION	ENERGY DRAINED	
	09:31:35	Active	0:30:46	18 %	8,679 mWh
	10:02:21	Connected standby	0:05:52	2 %	866 mWh
	10:08:49	Connected standby	0:00:35	-	137 mWh
	10:09:24	Active	0:09:02	5 %	2,280 mWh
	10:18:27	Connected standby	0:00:59	-	228 mWh
	10:19:26	Active	0:48:19	39 %	18,331 mWh
	15:28:02	Active	0:00:00	-	-
	15:29:11	Active	0:00:01	-	15 mWh
	16:23:31	Active	0:18:23	24 %	11,522 mWh
	17:14:11	Active	0:01:01	1 %	365 mWh
2026-02-06	10:38:28	Connected standby	0:00:35	-	152 mWh
	10:39:03	Active	0:04:42	1 %	578 mWh
	10:43:45	Connected standby	0:00:03	-	-
	10:43:49	Active	0:03:04	1 %	273 mWh
	10:46:54	Connected standby	0:00:40	-	31 mWh
	10:47:34	Active	0:03:27	93 %	44,338 mWh
	10:51:01	Active	0:00:00	-	-
	10:51:08	Active	0:00:16	92 %	43,928 mWh
	10:51:24	Active	0:00:00	-	-
	10:52:54	Active	0:00:36	1 %	243 mWh
	10:53:30	Connected standby	0:00:29	-	31 mWh
	10:54:00	Active	0:03:31	1 %	562 mWh
	10:57:32	Connected standby	0:40:49	2 %	866 mWh
	11:38:56	Connected standby	0:00:35	-	76 mWh
	11:39:31	Active	0:00:54	-	122 mWh
	12:02:23	Active	0:00:01	-	-
	12:02:24	Connected standby	0:09:52	1 %	244 mWh
	12:12:17	Active	0:15:12	3 %	1,596 mWh
	12:27:30	Connected standby	0:20:37	1 %	440 mWh
	12:48:07	Active	0:48:32	10 %	4,545 mWh
	14:52:22	Active	1:48:35	26 %	12,130 mWh
	16:40:57	Connected standby	3:35:45	15 %	6,901 mWh
	20:16:42	Active	0:12:24	3 %	1,277 mWh
	20:29:06	Connected standby	0:00:00	-	-
2026-02-07	20:12:37	Connected standby	0:00:35	1 %	350 mWh
	20:13:12	Active	0:29:49	8 %	4,028 mWh
	20:43:01	Connected standby	0:00:29	-	15 mWh
	20:43:30	Active	0:11:44	3 %	1,657 mWh
	20:55:14	Connected standby	0:01:04	-	91 mWh
	20:56:19	Active	0:21:24	8 %	3,891 mWh
	21:17:43	Connected standby	0:00:03	-	16 mWh
	21:19:36	Active	0:00:36	1 %	304 mWh
	21:20:12	Connected standby	0:01:09	-	168 mWh
	21:21:21	Active	0:03:29	2 %	881 mWh
	21:24:51	Connected standby	0:00:00	-	-
	21:24:51	Active	0:12:30	5 %	2,387 mWh

	START TIME	STATE	DURATION		ENERGY DRAINED
	21:37:21	Connected standby	0:01:28	1 %	273 mWh
	21:38:50	Active	0:01:07	-	213 mWh
	21:39:57	Connected standby	0:00:00	-	-
	21:39:58	Active	0:14:37	5 %	2,614 mWh
	21:55:42	Active	0:04:28	3 %	1,414 mWh
	22:00:11	Connected standby	0:00:03	-	30 mWh
	22:00:14	Active	0:03:46	2 %	851 mWh
	22:04:01	Connected standby	0:00:04	-	31 mWh
	22:04:06	Active	0:07:12	2 %	1,124 mWh
	22:11:18	Connected standby	0:00:05	-	-
	22:11:24	Active	0:18:11	4 %	2,037 mWh
	22:29:35	Connected standby	0:01:15	-	-
	22:30:50	Active	0:02:11	-	-
	22:33:02	Connected standby	0:00:08	-	-
	22:33:10	Active	0:02:23	-	-
	22:35:33	Connected standby	0:01:24	-	-
	22:36:58	Active	0:01:05	-	-
	22:38:03	Connected standby	0:00:52	-	-
	22:38:56	Active	0:04:57	-	-
	22:43:53	Connected standby	0:00:07	-	-
	22:44:01	Active	0:01:03	-	-
	22:45:04	Connected standby	0:00:07	-	-
	22:48:48	Active	0:00:52	4 %	1,764 mWh
	22:49:41	Connected standby	0:00:00	-	-
	22:50:28	Connected standby	0:00:00	-	-
2026-02-08	03:22:04	Connected standby	0:00:35	1 %	425 mWh
	03:22:39	Active	0:00:00	-	-
	03:22:39	Connected standby	0:00:00	-	-
	03:23:14	Connected standby	0:00:35	-	30 mWh
	03:23:49	Active	0:00:00	-	-
	03:23:49	Connected standby	0:12:44	1 %	274 mWh
	03:36:34	Active	0:01:40	-	243 mWh
	03:38:15	Connected standby	0:23:40	1 %	487 mWh
	04:01:55	Active	0:01:11	-	106 mWh
	04:03:06	Connected standby	0:05:18	-	137 mWh
	04:08:25	Active	0:01:00	-	106 mWh
	04:09:25	Connected standby	0:30:01	1 %	593 mWh
	04:40:01	Connected standby	0:00:35	-	15 mWh
	04:40:36	Active	0:00:00	-	-
	04:40:36	Connected standby	0:04:12	-	107 mWh
	04:44:49	Active	0:02:59	-	167 mWh

Usage history

History of system usage on AC and battery

PERIOD	BATTERY DURATION		AC DURATION	
	ACTIVE	CONNECTED STANDBY	ACTIVE	CONNECTED STANDBY
2026-01-30	0:05:47	0:00:05	0:34:36	0:03:01
2026-01-31	2:39:05	0:02:29	-	-
2026-02-01	-	-	-	-
2026-02-02	1:50:34	0:05:17	-	-
2026-02-03	0:37:59	0:10:29	1:08:43	0:00:35
2026-02-04	0:32:38	0:38:47	5:09:47	0:59:33
2026-02-05	1:47:30	0:07:58	2:38:08	0:07:55
2026-02-06	3:21:09	4:49:16	1:37:43	-
2026-02-07	2:21:22	0:08:52	-	-

Battery capacity history

Charge capacity history of the system's batteries

PERIOD	FULL CHARGE CAPACITY	DESIGN CAPACITY
2026-01-30	48,792 mWh	64,007 mWh
2026-01-31	48,792 mWh	64,007 mWh
2026-02-01	48,792 mWh	64,007 mWh
2026-02-02	48,792 mWh	64,007 mWh
2026-02-03	48,637 mWh	64,007 mWh
2026-02-04	47,546 mWh	64,007 mWh
2026-02-05	47,546 mWh	64,007 mWh
2026-02-06	47,546 mWh	64,007 mWh
2026-02-07	47,739 mWh	64,007 mWh

Battery life estimates

Battery life estimates based on observed drains

PERIOD	AT FULL CHARGE		AT DESIGN CAPACITY	
	ACTIVE	CONNECTED STANDBY	ACTIVE	CONNECTED STANDBY
2026-01-30	3:54:57	4:31:04 354 % / 16 h	5:08:13	5:55:35 270 % / 16 h
2026-01-31	4:35:34	7:23:50 216 % / 16 h	6:01:30	9:42:14 165 % / 16 h
2026-02-01	-	-	-	-
2026-02-02	3:53:01	2:17:55 696 % / 16 h	5:05:41	3:00:56 531 % / 16 h
2026-02-03	1:49:53	17:29:07 92 % / 16 h	2:24:36	23:00:40 70 % / 16 h
2026-02-04	1:28:54	16:03:25 100 % / 16 h	1:59:41	21:36:58 74 % / 16 h
2026-02-05	2:04:04	4:04:22 393 % / 16 h	2:47:02	5:28:58 292 % / 16 h
2026-02-06	7:19:41	26:13:26 61 % / 16 h	9:51:55	35:18:11 45 % / 16 h
2026-02-07	4:51:19	7:14:35 221 % / 16 h	6:30:36	9:42:40 165 % / 16 h

Current estimate of battery life based on all observed drains since OS install

Since OS install

3:57:20

19:43:35
81 % / 16 h

4:54:38

24:29:22
65 % / 16 h